



Works Cited

- Ab'Saber, A. N. 1977. Os domínios morfoclimáticos da América do Sul. *Geomorfologia* 52:1–23.
- Ackerman, B. B., M. D. Samuel, and F. A. Leban. 1991. *User's Manual for Program HOME RANGE Version 2*. Moscow: Forestry, Wildlife, and Range Experiment Station, University of Idaho.
- Acuña, C. de. 1942. *Nuevo descubrimiento del gran río del Amazonas, por el P. Cristóbal de Acuña, el cual fué por la provincia de Quito el año de 1639 (Publicación dirigida por Raúl Reyes)*. Quito: Imprenta del Ministerio de Gobierno.
- Akaike, H. 1973. Information theory and an extension of the maximum likelihood principle. In B. N. Petran and F. Csáki, eds., *International Symposium on Information Theory*, 2d ed., pp. 267–288. Budapest: Akadémiai Kiadó.
- Albernaz, A. L. M. and J. M. Ayres. 1999. Selective logging along the middle Solimões River. In C. Padoch, J. M. Ayres, M. Pinedo-Vásquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 135–154. New York: New York Botanical Garden Press.
- Albert, B. and M. Gomez. 1997. *Saude Yanomami: Um manual etnolinguístico*. Belém, Brazil: Museu Paraense Emílio Goeldi.
- Alexander, B. 1994. People of the Amazon fight to save the flooded forest. *Science* 265:606–607.
- Alho, C. J. R. 1985. Conservation and management strategies for commonly exploited Amazonian turtles. *Biological Conservation* 32:291–298.
- Alho, C. J. R. 1986. Uso potencial da fauna silvestre através de seu manejo. In *Anais do 1º Simpósio do Trópico Úmido*, pp. 359–369. Belém, Brazil.
- Alho, C. J. R., Z. M. S. Campos, and H. C. Gonçalves. 1987. Ecologia da capivara (*Hydrochoerus hydrochaeris*—Rodentia) do Pantanal. I. Atividade, sazonalidade, uso de espaço e manejo. *Revista Brasileira de Biologia* 47:99–110.
- Allen, A. C. and J. F. M. Valls. 1987. *Recursos forrageiros nativos do Pantanal Mato-Grossense*. Documentos 8. Brasília: EMBRAPA-CENARGEN.
- Allendorf, F. W. and N. Ryman. 2002. The role of genetics in population viability analysis. In S. R. Bessinger and D. R. McCullough, eds., *Population Viability Analysis*, pp. 50–85. Chicago: University of Chicago Press.
- Alonso, M. T. A. 1977. Vegetação. Região Sudeste. In *Geografia do Brasil*, pp. 91–118. Rio de Janeiro: Instituto Brasileiro de Geografia e Estatística.
- Alpe, M. J., J. L. Kingery, and J. C. Mosley. 1999. Effects of summer sheep grazing on browse nutritive quality in autumn and winter. *Journal of Wildlife Management* 63(1):346–354.
- Alvard, M. 1998. Indigenous hunting in the Neotropics: Conservation or optimal foraging? In T. M. Caro, ed., *Behavioral Ecology and Conservation Biology*, pp. 474–500. Oxford: Oxford University Press.
- Alvard, M. 2000. The impact of traditional subsistence hunting and trapping on prey populations: Data from Wana horticulturalists of upland central Sulawesi, Indonesia. In J. G. Robinson and E. L. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 214–230. New York: Columbia University Press.
- Alvard, M., J. G. Robinson, K. H. Redford, and H. Kaplan. 1997. The sustainability of subsistence hunting in the Neotropics. *Conservation Biology* 11:977–982.
- Alvard, M. S. 1994. Conservation by native peoples: Prey choice in a depleted habitat. *Human Nature* 5:127–154.
- Amoroso, M. C. M. 1981. Alimentação em um bairro pobre de Manaus, Amazonas. *Acta Amazonica* (Suppl.) 11:23–26.




[412] Bibliography

- Anderson, E. N. 1996. *Ecologies of the Heart: Emotion, Belief, and the Environment*. New York: Oxford University Press.
- Anderson, L. 1986. *The Economics of Fisheries Management*. Baltimore: Johns Hopkins University Press.
- Andrade, P. C. M., A. Carvalho, M. E. Elias, A. Lavorenti, and S. L. G. Nogueira-Filho. 1996. Curva de crescimento de Capivaras (*Hydrochoerus hydrochaeris hydrochaeris*) em cativeiro. In *Anais 48ª Reunião Anual da Sociedade Brasileira para o Progresso da Ciência*. Vol. II, p.5. São Paulo. Sociedade Brasileira para o Progresso da Ciência.
- Andrade, P. C. M., A. Lavorenti, and S. L. G. Nogueira-Filho. 1998. Efeitos do tamanho de área, da dieta e da idade inicial de confinamento sobre capivaras (*Hydrochoerus hydrochaeris hydrochaeris* L. 1766) em crescimento. *Revista Brasileira de Zootecnia* 27:292–299.
- Anon. 2000. Serviço público: Concurso para 12,3 mil vagas. A *Crítica*, Manaus September 22.
- Aranda, M. 1994. Importancia de los pecaries (*Tayassu spp.*) en la alimentación del jaguar (*Panthera onca*). *Acta Zoologica Mexicana* (n.s.) 62:11–22.
- Araujo-Lima, C. and M. Goulding. 1997. *So Fruitful a Fish: Ecology, Conservation, and Aquaculture of the Amazon's Tambaqui*. New York: Columbia University Press.
- Araujo-Lima, C. A. R. M., B. Forsberg, R. Victoria, and L. Martinelli. 1986. Energy sources for detritivorous fishes in the Amazon. *Science* 234:1256–1258.
- Arteaga, A., I. Cañizales, G. Hernández, M. C. Lamas, A. De Luca, M. Muñoz, A. Ochoa, A. E. Seijas, J. Thorbjarnarson, A. Velasco, S. Ellis, and U. Seal. 1997. *Reporte del Taller de Análisis de la viabilidad poblacional y del hábitat del Caimán del Orinoco (Crocodylus intermedius)*. Apple Valley, Minn.: IUCN/SSC Conservation Breeding Specialist Group.
- Auzel, P. and D. S. Wilkie. 2000. Wildlife use in northern Congo: Hunting in a commercial logging concession. In J. G. Robinson and E. L. Bennet, eds., *Hunting for Sustainability in Tropical Forests*, pp. 499–520. New York: Columbia University Press.
- Avila-Pires, F. S. 1959. As formas sul-americanas do “veado-virá.” *An. Acad. Bras. Ciênc.* 31:547–556.
- Ayala, G. 2002. *Monitoreo de Tapírus terrestres en el Izozog (Cerro Cortado) mediante el uso de telemetría como base para un plan de conservación*. M.S. thesis. La Paz: Instituto de Ecología, UMSA.
- Ayala, J. and A. Noss. 2000. Censo por transectas en el Chaco boliviano: Limitaciones biológicas y sociales de la metodología. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 29–36. Asunción, Paraguay: CITES Paraguay, Fundación Moisés Bertoni, University of Florida.
- Ayala, W. 2000. Participación de los comunarios izocéños en el manejo de fauna. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 529–534. Asunción, Paraguay: CITES Paraguay, Fundación Moisés Bertoni, University of Florida.
- Ayarzagüena, J. 1987. *Conservación del caimán del Orinoco (Crocodylus intermedius) en Venezuela. Parte I. Río Cojedes*. Caracas: FUDENA, WWF-U.S., Proyecto 6078.
- Ayarzagüena, J. 1990. An update on the recovery program for the Orinoco crocodile. *Crocodile Specialist Group Newsletter* 9:16–18.
- Ayres, J. M. 1986. *Uakaris and the Amazonian Flooded Forests*. Ph.D. dissertation. Cambridge: University of Cambridge.
- Ayres, J. M. 1993. *As matas de várzea do Mamirauá: Médio Rio Solimões*. Brasilia: MCT-CNPq/ Sociedade Civil Mamirauá.
- Ayres, J. M. and R. Best. 1979. Estratégias para a conservação da fauna amazônica. *Supl. Acta Amazônica* 9:81–101.
- Ayres, J. M. and G. A. B. Fonseca. 1997. Corredores ecológicos das florestas neotropicais. *Megadiversitas: Boletim do Grupo de Trabalho em Biodiversidade (CNPq)* 1: 3.
- Ayres, J. M., A.R. Alves, H.L. Queiroz, M. Marmontel, E. Moura, D. de M. Lima, A. Azevedo, M. Reis, P. Santos, R. de Silveira, and D. Masterson. 1999. Mamirauá: The conservation of biodiversity in an Amazonian flooded forest. In C. Padock, J. M. Ayres, M. Pinedo-Vasquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 203–216. New York: New York Botanical Garden Press.
- Ayres, J. M., D. de Magalhaes Lima, E. de Souza Martins, and J. L. K. Barreiros. 1991. On the track of the road: Changes in subsistence hunting in a Brazilian Amazonian village. In J. G. Robinson and K. H. Redford, eds., *Neotropical Wildlife Use and Conservation*, pp. 82–92. Chicago: University of Chicago Press.




Bibliography [413]

- Azcarate-Bang, T. 1980. Sociobiología y manejo del capibara (*Hydrochoerus hydrochaeris*). *Doñana-acta Venezolana* 7: 6.
- Azevedo, F. C. and V. A. Conforti. 1998. *Predation Dynamics of Wild Carnivores on Livestock Ranches Surrounding Iguaçu National Park: Evaluation, Impact, and Implementation of Preventive Methods*. Unpublished report. Curitiba, Brazil: Boticário Foundation.
- Baitello, J. B., J. A. Pastore, O. T. Aguiar, F. C. Serio, and C. E. Silva. 1988. A vegetação do Parque Estadual do Morro do Diabo, município de Teodoro Sampaio, Estado de São Paulo. *Acta Botânica Brasileira* 1:221–230.
- Baker, R. R. 1978. *The Evolutionary Ecology of Animal Migration*. New York: Holmes and Meier.
- Barbarán, F.R. 1999. Comercialización de cueros de pecari (*Tayassu spp.*) en el Chaco semiárido de la Provincia de Salta, Argentina, período 1973–1997. In T. G. Fang, O. L. Montenegro, and R. E. Bodmer, eds., *Manejo y conservación de fauna silvestre en América Latina*, pp. 195–206. La Paz: Instituto de Ecología.
- Barbier, E. B. 1992. Economics for the wilds. In T. M. Swanson and E. B. Barbier, eds., *Economics for the Wilds: Wildlife, Diversity, and Development*, pp. 15–33. Washington, D.C.: Island Press.
- Barbosa R. I. 1997. Distribuição das chuvas em Roraima. In R.I. Barbosa, E. J. G. Ferreira, and E. G. Castellón, eds., *Homem, ambiente e ecologia no Estado de Roraima*, pp. 325–336. Manaus, Brazil: INPA.
- Barret, C. B., K. Brandon, C. Gibson, and H. Gjersten. 2001. Conserving tropical biodiversity amid weak institutions. *Bioscience* 51(6):497–502.
- Barrientos, J. and L. Maffei. 2000. Radio-telemetría en la hurina *Mazama gouazoubira* en el campamento Cerro Cortado, Izozog, Santa Cruz, Bolivia. In E. Cabrera, C. Mercalli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 369–372. Asunción, Paraguay: :CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Barrientos, J. and L. Maffei. In press. Radiotelemetria de antas (*Tapirus terrestris*) en el Chaco seco, Izozog, Santa Cruz, Bolivia. In *Memorias del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de Sostenibilidad*. Bogotá: Fundación Natura.
- Barthem, R. and M. Goulding. 1997. *The Catfish Connection: Ecology, Migration, and Conservation of Amazon Predators*. New York: Columbia University Press.
- Barthem, R. B. 1999a. A pesca comercial no Médio Solimões e sua interação com a Reserva de Desenvolvimento Sustentável Mamirauá. In H. Queiroz and W.G.R Crampton, eds., *Estratégias para manejo de recursos pesqueiros em Mamirauá*, pp. 72–107. Brasília: SCM-CNPq.
- Barthem, R. B. 1999b. Várzea fisheries in the middle Rio Solimões. In C. Padoch, J. M. Ayres, M. Piedra-Vasquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 7–28. New York: New York Botanical Garden Press.
- Barthem, R. B. and M. J. Petre. 1992. Fisheries and population dynamics of *Brachyplatysoma vaillantii* (Pimelodidae) in the Amazon Estuary. *Abstract Bulletin World Fisheries Congress* 3:31–32.
- Barthem, R. B., M. J. Petre, V. Isaac, M. C. L. de Brito Ribeiro, D. G. McGrath, I. J. A. Vieira, and M. V. Barco. 1997. A pesca na Amazônia: Problemas e perspectivas para o seu manejo. In C. Valladares-Pádua and R. E. Bodmer, eds., *Manejo e conservação de vida silvestre no Brasil*, pp. 173–185. Rio de Janeiro: MCT-CNPq/Sociedade Civil Mamirauá.
- Bates, H. W. 1863. *The Naturalist on the River Amazon*. London: John Murray.
- Batista, V. de S. 1998. *Distribuição, dinâmica da frota e dos recursos pesqueiros da Amazônia Central*. Ph.D dissertation. Manaus, Brazil: INPA-UA.
- Bauman, D. E., B. A. Corl, L. H. Baumgard, and J. M. Grinari. 1998. Trans fatty acids, Conjugated Linoleic Acid and milk fat synthesis. In *Proceedings of Cornell Nutritional Conference*, pp. 95–103. Ithaca, N.Y.: Division of Nutritional Science, Cornell University.
- Bayley, P. B. 1980. Accounting for effort when comparing tropical fisheries in lakes, river floodplains, and lagoons. *Limnol and Oceanogr*. 33:963–972.
- Bayley, P. B. 1989. Aquatic environments in the Amazon basin, with an analysis of carbon sources, fish production, and yield. *Special Publications of the Canadian Journal of Fisheries and Aquatic Sciences* 106:399–408.
- Bayley, P. B. and Petre, M. J. 1989. Amazon fisheries: Assessment methods, current status, and management options. *Special Publications of the Canadian Journal of Fisheries and Aquatic Sciences* 106:385–398.




[414] Bibliography

- Bayley, P. B., F. Vázquez, P. Ghersi, P. Soini, and M. Pinedo. 1992. *Environmental Review of the Pacaya-Samiria National Reserve in Peru and Assessment of Project* (527-0341). Unpublished report. Washington D.C.: Nature Conservancy.
- Becker, M. 1981. Aspectos da caça em algumas regiões de cerrado de Mato Grosso. *Brasil Florestal* 11:51–63.
- Beckerman, S. 1994. Hunting and fishing in Amazonia: Hold the answers, what are the questions? In A. Roosevelt, ed., *Amazonian Indians from Prehistory to the Present: Anthropological Perspectives*, pp. 177–200. Tucson: University of Arizona Press.
- Beddington, J. R. and R. M. May. 1977. Harvesting natural populations in a randomly fluctuating environment. *Science* 197:463–465.
- Begazo, A. J. 1997. Use and conservation of the Cracidae in the Peruvian Amazon. In S. D. Strahl, S. Beaujon, D. M. Brooks, A. J. Begazo, G. Sedaghatkish, and F. Olmos, eds., *The Cracidae: Their Biology and Conservation*, pp. 449–459. Washington, D.C.: Hancock House.
- Beissinger, S. R. 1994. La conservación de los Psitácidos del neotrópico: Retos para los biólogos, gerentes y gobierno. In G. Morales, I. Novo, D. Bigio, A. Lucy, and F. Rojas-Suárez, eds., *Biología y conservación de los Psitácidos de Venezuela*, pp. 141–147. Caracas: Gráficas Giavimar.
- Beissinger, S. R. and E. H. Bucher. 1992. Sustainable harvest of parrots for conservation. In S. R. Beissinger and N. F. R. Snyder, eds., *New World Parrots in Crisis: Solutions from Conservation Biology*, pp. 73–115. Washington, D.C.: Smithsonian Institution Press.
- Beissinger, S. R. and D. R. McCullough, eds. 2002. *Population Viability Analysis*. Chicago: University of Chicago Press.
- Bendayán, N. 1991. *Influencia socioeconómica de la fauna silvestre en Iquitos, Loreto*. Undergraduate thesis. Iquitos, Peru: Universidad Nacional de la Amazonía Peruana.
- Beneria-Surkin, J. 1998. *Socioeconomic Study of Five Izoceño Communities*. Technical Paper #6. Santa Cruz, Bolivia: Kaa-Iya Project.
- Bennett, E. L. and J. G. Robinson. 2000a. Hunting for sustainability: The start of a synthesis. In J. G. Robinson, and E. L. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 499–519. New York: Columbia University Press.
- Bennett, E. L. and J. G. Robinson. 2000b. *Hunting of Wildlife in Tropical Forests: Implications for Biodiversity and Forest Peoples*. Environment Department Papers. Washington, D.C.: World Bank.
- Bergerud, A. T. 1988. Caribou, wolves, and man. *Trends in Ecology and Evolution* 3:68–73.
- Berkes, F., ed. 1989. *Common Property Resources: Ecology and Community-Based Sustainable Development*. London: Belhaven Press.
- Bodmer, R. E. 1989. Frugivory in Amazonian Artiodactyla: Evidence for the evolution of the ruminant stomach. *Journal of Zoology* 219:457–467.
- Bodmer, R. E. 1990. Responses of ungulates to seasonal inundations in the Amazon floodplain. *J. Trop. Ecol.* 6:191–201.
- Bodmer, R. E. 1994. Managing wildlife with local communities: The case of the Reserva Comunal Tamshiyacu-Tahuayo. In D. Western, M. Wright, and S. Strum, eds., *Natural Connections: Perspectives on Community Based Management*, pp.113–134. Washington, D.C.: Island Press.
- Bodmer, R. E. 1995a. Managing Amazonian wildlife: Biological correlates of game choice by detribalized hunters. *Ecological Applications* 5:872–877.
- Bodmer, R. E. 1995b. Priorities for the conservation of mammals in the Peruvian Amazon. *Oryx* 29:23–28.
- Bodmer, R. E. 1999. Uso sustentable de los ungulados amazónicos: Implicaciones para las áreas protegidas comunales. In T. G. Fang, O. L. Montenegro, and R. E. Bodmer, eds., *Manejo y conservación de fauna silvestre en América Latina*, pp. 51–58. La Paz: Instituto de Ecología.
- Bodmer, R. E. 2000. Integrating hunting and protected areas in the Amazon. In N. Dunstone and A. Entwistle, eds., *Future Priorities for the Conservation of Mammals: Has the Panda had its Day?*, pp. 277–290. Cambridge: Cambridge University Press.
- Bodmer, R. E. 2001. Evaluating wildlife sustainable use in the Amazon: The unified harvest model. In P. Sánchez, A. Morales, and H. F. López, eds., *Proceedings of the Fifth International Congress on Wildlife Management in Amazonia and Latin America*, p. 55. Bogotá: Fundación Natura.
- Bodmer, R. E., C. M. Allen, J. W. Penn, R. Aquino, and C. Reyes. 1999. *Evaluación del uso sostenible de la fauna silvestre en la Reserva Nacional Pacaya-Samiria, Perú*. Documentos de Trabajo América Verde No. 4b. Arlington, Va.: Nature Conservancy.




Bibliography [415]

- Bodmer, R. E., R. Aquino, P. E. Puertas, C. J. Reyes, T. G. Fang, and N. L. Gottdenker. 1997a. Manejo y uso sustentable de pecaríes en la Amazonía Peruana. Occasional Paper of the IUCN Species Survival Commission, No. 18. Quito: UICN-Sur.
- Bodmer, R. E., N. Y. Bendayán, A. L. Moya, and T. G. Fang. 1990. Manejo de ungulados en la Amazonía Peruana: Análisis de la caza de subsistencia y la comercialización local, nacional e internacional. *Boletín de Lima* 70:49–56.
- Bodmer, R. E., J. F. Eisenberg, and K. H. Redford. 1997. Hunting and the likelihood of extinction of Amazonian mammals. *Conservation Biology* 11:460–466.
- Bodmer, R. E., T. Fang, and L. Moya. 1988a. Primates and ungulates: A comparison of susceptibility to hunting. *Primate Conservation* 9:79–83.
- Bodmer, R. E., T. G. Fang, and L. Moya. 1988b. Ungulate management and conservation in the Peruvian Amazon. *Biological Conservation* 45:303–310.
- Bodmer, R. E., T. G. Fang, L. Moya, and R. Gill. 1994. Managing wildlife to conserve Amazonian forests: Population biology and economic considerations of game hunting. *Biological Conservation* 67:29–35.
- Bodmer, R. E. and J. W. J. Penn. 1997. Manejo da vida silvestre em comunidades na Amazônia. In C. Valladares-Padua and R. E. Bodmer, eds., *Manejo e conservação de vida silvestre no Brasil*, pp. 52–69. Brasília, Brazil: CNPq/Sociedade Civil Mamirauá.
- Bodmer, R. E., J. W. Penn, P. Puertas, L. Moya, and T. G. Fang. 1997b. Linking conservation and local people through sustainable use of natural resources: Community-Based management in the Peruvian Amazon. In C. H. Freese, ed., *Harvesting Wild Species: Implications for Biodiversity Conservation*, pp. 315–358. Baltimore: Johns Hopkins University Press.
- Bodmer, R. E. and E. Pezo. 1999. Análisis económico de la venta de carne de monte y exportación de peles en Loreto, Perú. In T. G. Fang, O. L. Montenegro, and R. E. Bodmer, eds., *Manejo y conservación de fauna silvestre en América Latina*, pp. 171–182. La Paz: Instituto de Ecología.
- Bodmer, R. E. and E. Pezo Lozano. 2001. Rural development and sustainable wildlife use in Peru. *Conservation Biology* 15:1163–1170.
- Bodmer, R. E. and P. Puertas. 2000. Community-Based comanagement of wildlife in the Peruvian Amazon. In J. G. Robinson and E. L. Bennet, eds., *Hunting for Sustainability in Tropical Forests*, pp. 395–409. New York: Columbia University Press.
- Bolaños, J. E. 2000. *Densidad, abundancia relativa, distribución y uso local de los ungulados en la cuenca del río Lacantún, Chiapas*, México. Undergraduate thesis. Tuxtla Gutiérrez, Chiapas, México: Universidad de Ciencias y Artes de Chiapas.
- Bonacic, C. 1996. *Sustainable Use of the vicuña (Vicugna vicugna) in Chile*. M.S. thesis. Reading, U. K.: University of Reading.
- Borges, P.A., M. G. Domínguez-Bello, and E. A. Herrera. 1996. Digestive physiology of wild capybara. *Journal of Comparative Physiology B* 166:55.
- Bostock, T. 1998. *Mamirauá Sustainable Development Reserve: Fish Processing and Marketing Consultancy*. DFID Consultant report. Mamirauá Project, phase 2. Chatham: Natural Resource Institute.
- Bourdy, G. 2001. *Plantas del Chaco: Guía Para el Docente*. Santa Cruz, Bolivia: Kaa-Iya Project.
- Bourdy, G. 2002. *Plantas del Chaco II: Usos tradicionales Izoceños-Guaraní*. Santa Cruz, Bolivia: Kaa-Iya Project.
- Brandon, K. 1996. Traditional peoples, nontraditional times: Social change and the implications for biodiversity conservation. In K. H. Redford and J. A. Mansour, eds., *Traditional Peoples and Biodiversity Conservation in Large Tropical Landscapes*, pp. 219–236. Washington, D.C.: Nature Conservancy.
- Brown, J. H. and A. Kodric-Brown. 1977. Turnover rates in insular biogeography: Effect of immigration on extinction. *Ecology* 58:445–449.
- Bruno, N. and E. Cuéllar. 2000. Hábitos alimenticios de cinco Dasypodidos en el Chaco boliviano. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 401–412. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Buckland, S. T., D. R. Anderson, K. P. Burnham, and J. L. Laake. 1993. *DISTANCE Sampling: Estimating Abundance of Biological Populations*. London: Chapman and Hall.
- Byers, C. R., R. K. Steinhorst, and P. R. Krausman. 1984. Clarification of a technique for analysis of utilization-availability data. *Journal of Wildlife Management* 48:1050–1053.
- Caballero, M. and A. Noss. 2000. Comparación de la dieta de urina (*Mazama gouazoubira*) entre la




[416] Bibliography

- época lluviosa y seca en la zona del Izozog, Santa Cruz, Bolivia. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 377–384. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Cabrera, E., C. Mercolli, and R. Resquin, eds. 2000. *Manejo de fauna silvestre en Amazonía y Latinoamérica*. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Calouro, A. 1995. *Caça de subsistência: sustentabilidade e padrões de uso entre seringueiros ribeirinhos e não ribeirinhos do Estado do Acre*. M.S. thesis. Brasilia: Universidade de Brasília, Instituto de Ciências Biológicas.
- Calzadilla V., F. 1948. *Por los Llanos de Apure*. Caracas: Ediciones del Ministerio de Educación Nacional, Dirección de Cultura.
- Campo, M. and E. Rodríguez. 1997. *Evaluación de la calidad del ambiente acuático del río Cojedes*. Unpublished report. Caracas: PROFAUNA/MARNR, Dirección de Manejo de Fauna Acuática.
- Campos, L. C. 1986. *Distribution, Human Impact, and Conservation of Flamingos in the High Andes of Bolivia*. M.A. thesis. Gainesville: University of Florida.
- Campos-Rozo, C., H. Rubio-Torgler, and A. Ulloa. 2001. Manejo local por los Embera del Chocó Colombiano. In R. Primack, R. Rozzi, P. Feisinger, R. Dirzo, and F. Massardo, eds., *Fundamentos de conservación biológica: Perspectivas Latinoamericanas*, pp. 599–601. México, D.F.: Fondo de la cultura económica.
- Campos-Rozo, C., A. Ulloa, and H. Rubio-Torgler. 1996. *Manejo de fauna con comunidades rurales*. Bogotá: Instituto Colombiano de Antropología e Historia-Fundación Natura.
- Caro, T. M. 1999. Conservation monitoring: Estimating mammal densities in woodland habitats. *Animal Conservation* 2:305–315.
- Carrillo E., J. C. Saenz, and T. K. Fuller. 2002. Movement and activities of white-lipped peccaries in Corcovado National Park, Costa Rica. *Conservation Biology* 10:317–324.
- Carrillo, G. 1999. Valor nutritivo de cuatro variedades de carne de monte de mayor consumo en la ciudad de Iquitos. In *Proceedings of the Fourteenth International Congress on Wildlife Management in Amazonia and Latin America*, p. 43. Asuncion, Paraguay.
- Castello, L. In press. A method to count *Arapaima gigas*: Fishermen, assessment, and management. *North American Journal of Fisheries Management*.
- Castro, R. 1991. *Behavioral Ecology of Two Coexistent Tamarin Species (Saguinus fuscicollis nigrifrons and Saguinus mystax mystax, Callithrichidae, Primates) in Amazonian Peru*. Ph.D. dissertation. Saint Louis, Mo.: Washington University.
- Cattan, P. and A. Glade. 1989. Management of the *Vicugna vicugna* in Chile: Use of a matrix model to assess harvest rates. *Biological Conservation* 49:131–140.
- Caughley, G. 1977. *Analysis of Vertebrate Populations*. New York: Wiley.
- Caughley, G., G. C. Grigg , J. Caughley J, and G. J. E. Hill. 1980. Does dingo predation control the densities of kangaroos and emus? *Austr. Wildl. Res.* 7:1–12.
- Caughley, G. and A. R. E. Sinclair. 1994. *Wildlife Ecology and Management*. Boston: Blackwell Scientific.
- Cavalcante-Filho, M. F., M. A. M. Carvalho, G. V. Machado, and E. Bevilacqua. 1998. Estudo comparativo sobre a morfologia do estômago do queixada (*Tayassu pecari*) e cateto (*Tayassu tajacu*). *Brazilian Journal of Morphological Sciences* 15:203–207.
- CDC-UNALM. 1993. *Evaluación ecológica de la Reserva Nacional Pacaya-Samiria*.—La Molina, Lima, Peru: Centro de Datos para la Conservación, Universidad Nacional Agraria.
- Cerdeira, R. G. P., M. L. Ruffino, V. J. Isaac. 1997. Consumo de pescado e outros alimentos nas comunidades ribeirinhas do Lago Grande de Monte Alegre. *Acta Amazônica* 27:213–227.
- Cerri, C. 1995. O crepúsculo do gigante. *Revista Globo Rural* 10:28–32.
- Chao, N. L., P. Petry, G. Prang, L. Sonneschien, and M. Tlusty, eds. 2001. *Conservation and Management of Ornamental Fish Resources of the Rio Negro Basin, Amazonia, Brazil—Projeto Piaba*. Manaus, Brazil: Editora da Universidade do Amazonas.
- Chávez, V. 1999. Determinación de la estacionalidad de partos en urina (*Mazama gouazoubira*). Laboratory practical. Santa Cruz, Bolivia: UAGRM.
- Chiarello, A. G. 2000. Density and population size of mammals in remnants of Brazilian Atlantic Forest. *Conservation Biology* 14 (6):1649–1657.
- Child, G. 1968. *Behaviour of Large Mammals During the Formation of Lake Kariba*. Salisbury: National Museums of Rhodesia.



Bibliography [417]

- Cincotta, R. P., J. Wisnewksi, and R. Engelman. 2000. Human population in the biodiversity hotspots. *Nature* 404:990–992.
- Clay, J. W. 1988. *Indigenous People and Tropical Forests: Models of Land Use and Management from Latin America*. Cultural Survival Report 27. Cambridge: Cultural Survival.
- Clutton-Brock, T. H. 1997. Stability and instability in ungulate populations: An empirical analysis. *American Naturalist* 149:195–219.
- Codazzi, A. 1940 [1841]. *Resumen de la geografía de Venezuela. Venezuela en 1841. Tomo I*. Caracas: Geografía Física, Biblioteca Venezolana de Cultura. Taller de Artes Gráficas Escuela Técnica Industrial.
- Cody, M. L. and J. M. Diamond. 1975. *Ecology and Evolution of Communities*. Cambridge: Belknap Press.
- COICA. 1989. To the community of concerned environmentalists. Lima: Coordinadora de las Organizaciones Indigenas de la Cuenca Amazonica.
- Colding, J. and C. Folke. 1997. The relationship among threatened species, their protection, and taboos. *Conservation Ecology* 1:6.
- Cole, L. 1954. The population consequences of life history phenomena. *Q. Rev. Biol.* 29:103–137.
- Combès, I. 1999. *Arakae: Historia de las comunidades izocenias*. Santa Cruz, Bolivia: Kaa-Iya Project.
- Combès, I., J. Aguirre, A. Noss, J. Ventocilla, and A. M. Saavedra. 1997. *Educación ambiental en el Izozog*. Santa Cruz, Bolivia: Kaa-Iya Project.
- Combès, I., N. Justiniano, I. Segundo, D. Vaca, and R. Vaca. 1998. *Kaa-Iya reta: los dueños del monte*. Technical paper #40. Santa Cruz, Bolivia: Kaa-Iya Project.
- Comizzoli, P., J. Peinieu, C. Dutertre, P. Planquette, and A. Aumaitre. 1997. Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu pecari*, *Tayassu tajacu*) raised in French Guyana. *Animal Feed Science Technology* 64:215–226.
- Conroy, M. J. 1996. Abundance indices. In D. E. Wilson, F. R. Cole, J. D. Nichols, R. Rudran, and M. Foster, (eds.), *Measuring and Monitoring Biological Diversity: Standard Methods for Mammals*, pp. 179–192. Washington, D.C.: Smithsonian Institution Press.
- Coomes, O. 1992. *Making a Living in the Amazon Rain Forest: Peasants, Land, and Economy in the Tahuayo River Basin of Northeastern Peru*. Ph.D. dissertation. Madison: University of Wisconsin.
- COREPASA. 1986. *Plan maestro de la Reserva Nacional Pacaya-Samiria*. Loreto, Peru: Editorial e Imprenta DESA.
- Costa, F. de A., C. de S. F. Senna, S. Pereira, and D. C. Kern. 1986. *Levantamento arqueológico na área da UHE Cachoeira Porteira: Relatório global*. Belém, Brazil: Museu Paraense E. Goeldi.
- Costa, J. M. M. 1992. Impactos econômico-territoriais do atual padrão de ocupação da Amazônia. In A. M. Matos, ed., *Amazônia: Desenvolvimento ou retrocesso*, pp. 40–115. Belém, Brazil: CEJUP.
- Costa, L. R. F., R. Barthem, and M. A.V. Correa. 1999. Manejo da pesca do tambaqui (*Colossoma macropomum*) nos lagos de várzea da Reserva de Desenvolvimento Sustentável. In H. Queiroz and W.G. R Crampton, eds., *Estratégias para manejo de recursos pesqueiros em Mamirauá*, pp. 142–158. Brasília: SCM-CNPq.
- Cott, H. B. 1954. The exploitation of wild birds for their eggs. *Ibis* 96:129–149.
- Coutinho, J. M. de S. 1868. Sur les tortues de l'Amazone. *Bulletin de la Société Impériale Zoologique d'Acclimatation* 5:147–166.
- CPT. 1992. *Os ribeirinhos. Preservação dos lagos, defesa do meio ambiente e a pesca comercial*. Rio de Janeiro: Comissão Pastoral da Terra (regional AM e RR).
- Crampton, W. G. R. 1999a. The impact of the ornamental fish trade on the discus *Sympodus aequifasciatus*: A case study from the flood plain forests of Estação Ecológica Mamirauá. In C. Padock, J. M. Ayres, M. Pinedo-Vasquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 29–44. New York: New York Botanical Garden Press.
- Crampton, W. G. R. 1999b. Os peixes da Reserva Mamirauá: Diversidade e história natural na planície alagável da Amazônia. In H. Queiroz and W.G.R Crampton, eds., *Estratégias para manejo de recursos pesqueiros em Mamirauá*, pp. 10–36. Brasília: SCM-CNPq.
- Crampton, W. G. R. 1999c. Plano de manejo para o uso sustentável de peixes ornamentais na Reserva Mamirauá. In H. Queiroz and W.G.R Crampton, eds., *Estratégias para manejo de recursos pesqueiros em Mamirauá*, pp. 159–176. Brasília: SCM-CNPq.
- Crampton, W. G. R. 2001. Diversidad e Conservación de los Peces de la Cuenca Amazónica. In S.




[418] Bibliography

- Paitán and M. C. Portillo, eds., *Amazonia: Orientaciones para el desarrollo sostenible*, pp. 121–140. Lima: UNAP.
- Crampton, W. G. R. and J. P. Viana 1999. Conservação e diversificação econômica da pesca nas várzeas do alto Rio Solimões: Uma breve revisão e sugestões para um futuro sustentável. In. T. G. Fang, O. L. Montenegro, and R. E. Bodmer, eds., *Manejo y conservación de fauna silvestre en América Latina*, pp. 209–226. La Paz: Instituto de Ecología.
- Crawshaw, Jr., P. G. 1992. Recommendations for study design on research projects on neotropical felids. In *Felinos de Venezuela: Biología, Ecología e Conservación*, pp. :187–222. Caracas: FUDECI.
- Crawshaw, Jr., P. G. 1995. *Comparative Ecology of Ocelot (Felis pardalis) and Jaguar (Panthera onca) in a Protected Subtropical Forest in Brazil and Argentina*. Ph. D. dissertation. Gainesville: University of Florida.
- Crawshaw, Jr., P. G. 2002. Mortalidad inducida por humanos y la conservación de jaguares: El Pantanal y el Parque Nacional Iguazú en Brasil. In R. A. Medellín, C. Chetkiewicz, A. Rabinowitz, K. H. Redford, J. G. Robinson, E. Sanderson, and A. Taber, eds. *Los jaguarares en el nuevo milenio: Un análisis de su estado, detección de prioridades y recomendaciones para la conservación*. México, D.F.: Universidad Nacional Autónoma de México/Wildlife Conservation Society.
- Crawshaw, Jr., P. G., and J. Pilla. 1994. *Ecologia e conservação das populações de felinos do “Parque Florestal Estadual do Turvo.”* Report. Rio Grande do Sul, Brasil: World Wildlife Fund-U.S.
- Crawshaw, Jr., P. G., and H. B. Quigley. 1984. *A ecologia do jaguar ou Onça pintada (Panthera onca) no Pantanal Matogrossense*. Final report. Brasília: Instituto Brasileiro de Desenvolvimento Florestal-IBDF.
- Crawshaw, Jr., P. G., and H. B. Quigley. 1989. Notes on ocelot movement and activity in the Pantanal region, Brazil. *Biotropica* 21:377–379.
- Crawshaw, Jr., P. G., and Quigley, H.B. 1991. Jaguar spacing, activity, and habitat use in a seasonally flooded environment in Brazil. *J. Zool. London* 223:357–370.
- Crespo, J. A. 1982. Ecología de la comunidad de mamíferos del Parque Nacional Iguazú, Misiones. *Rev. Mus. Argentino Ciencias Naturales “Bernardino Rivadavia,” Ecología* 3:45–162.
- Crocker, R. L. and N. S. Tiver. 1948. Survey methods in grassland ecology. *J. Br. Grassld Soc.* 3:1–26.
- Crosby, A.W. 1986. *Ecological Imperialism: The Biological Expansion of Europe, 900–1900*. New York: Cambridge University Press.
- Cruz, E. 2001. *Hábitos de alimentación e impacto de la actividad humana sobre el tapir (Tapirus bairdii) en la Reserva de la Biosfera La Sepultura, Chiapas*, México. M.S. thesis, San Cristóbal de Las Casas, Chiapas, México: El Colegio de la Frontera Sur.
- Cuéllar, E. 1999. *Hunting of Armadillos by Izoceño Indians of the Gran Chaco, Bolivia*. M. S. thesis. Canterbury: University of Kent.
- Cuéllar, E. In press. El armadillo de tres bandas, *Tolypeutes matacus*, en el Chaco meridional, Bolivia. *Mammalia*.
- Cuéllar, E., A. Arambiza, R. Miserendino, L. González, F. Soria, G. Castro, N. Ramón, and A. Noss. 1998. *Manual de la Fauna Izoceña*. Santa Cruz, Bolivia: Kaa-Iya Project.
- Cuéllar, E., R.S. Miserendino, and A. Noss. 1998. Introducción a los estudios biológicos en el Gran Chaco, Provincia Cordillera, Santa Cruz, Bolivia. *Ecología en Bolivia* 31:1–15.
- Cuéllar, E. and A. Noss. 1997. Conteo de huellas en brechas barridas: Un índice de abundancia para mamíferos. *Ecología en Bolivia* 30:55–67.
- Cuéllar, R.L. 2000a. Fenología de las plantas frutales importantes en la dieta de vertebrados frugívoros en el Chaco boliviano. In E. Cabrera, C. Mercolli, and R. Resquin, eds. *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 47–56. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Cuéllar, R.L. 2000b. (r)Para qué sirven los animales de monte en el Izozog? Santa Cruz, Bolivia: Kaa-Iya Project.
- Cuéllar, R.L. 2000c. Uso de los animales silvestres por pobladores izoceños. In E. Cabrera, C. Mercolli, and R. Resquín eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 471–484. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Cuéllar, R.L. In press. Frecuencia de huellas en parcelas de la fauna terrestre en diferentes tipos de hábitats de Izozog en el Chaco boliviano. In *Memorias del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de sostenibilidad*. Bogotá: Fundación Natura.

Bibliography [419]

- Cullen, Jr., L, R. E. Bodmer, and C. Valladares-Padua. 2000. Effects of hunting in habitat fragments of the Atlantic forests, Brazil. *Biological Conservation* 95:49–56.
- Cullen, Jr., L, R. E. Bodmer, and C. Valladares-Padua. 2001. Ecological consequences of hunting in Atlantic forest patches, São Paulo, Brazil. *Oryx* 35(2), 137–144.
- Cullen, Jr., L, M. Schmink, C. Valladares-Padua, and I. Morato. 2001. Agroforestry benefit zones: A tool for the conservation and management of Atlantic Forest fragments, São Paulo, Brazil *Natural Areas Journal* 21:345–355.
- Deem, S. L., A. J. Noss, R. Villaruel, M. M. Uhart and W. B. Karesh. In press a. Examen in-vitro de reacciones a antígenos y anticuerpos (serológico) para agentes seleccionados de enfermedades infecciosas en la urina (*Mazama gouazoubira*) y ganado doméstico (*Bos taurus*) en el Gran Chaco, Bolivia. In *Memorias del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de sostenibilidad*. Bogotá: Fundación Natura.
- Deem, S. L., A. J. Noss, R. L. Cuéllar, R. Villaruel, D. J. Forrester and M. J. Linn. In press b. Sarcoptic mange in free-ranging pampas foxes in the Gran Chaco, Bolivia. *Journal of Wildlife Diseases*.
- Demment, M.W. and P. J. Van Soest. 1985. A nutritional explanation for body-size patterns of ruminant and nonruminant herbivores. *The Am. Nat.* 125:641–672.
- Denevan, W. M. 1996. A bluff model of riverine settlement in prehistoric Amazonia. *Annals of the Association of American Geographers* 86:654–681.
- Diaz, C. G. A. 1978. Social behavior of the collared peccary in captivity. *CEIBA* 22:73–126.
- Dinerstein, E., D. Olson, D. J. Graham, A. L. Webster, S. A. Prim, M. P. Bookbinders, and G. Ledec. 1995. *A Conservation Assessment of the Terrestrial Ecoregions of Latin America and the Caribbean*. Washington, D.C.: World Bank.
- Dixon, K. R. and J. A. Chapman. 1980. Harmonic mean measure of animal activity areas. *Ecology* 61:1040–1044.
- Dobson, A. 1997. Some simple models for the dynamics of Cracid populations. In S. D. Strahl, S. Beaujon, D. M. Brooks, A. J. Begazo, G. Sedaghatkish, and F. Olmos, eds., *The Cracidae: Their Biology and Conservation*, pp. 107–115. Washington D.C.: Hancock House.
- Dourojeanni, M. J. 1972. Impacto de la producción de la fauna silvestre en la economía de la Amazonía peruana. *Revista Forestal del Perú* 5:15–27.
- Dourojeanni, M. J. 1985. Overexploited and underused animals in the Amazon region. In G. T. Prance and T. E. Lovejoy, eds., *Key Environments: Amazonia*, pp. 419–433. New York: Pergamon Press.
- Dourojeanni, M. J. 1990. *Amazonia? Que Hacer?* Iquitos, Peru: CETA.
- Dunbar, R. I. M. 1978. Competition and niche separation in a high altitude herbivore community in Ethiopia. *E.Afr. Wildl. J.* 16:183–199.
- Durand, E. and D. McCaffrey. 1999. The Pacaya-Samiria Project: Enhancing conservation and improving livelihoods in Amazonian Peru. In C. Padoch, J. M. Ayres, M. Pinedo-Vasquez and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 233–246. New York: New York Botanical Garden Press.
- Eaves, H. E. and R. C. Ruggiero. 2000. Socioeconomics and the sustainability of hunting in the forests of northern Congo (Brazzaville). In J. G. Robinson and E. L. Bennet, eds., *Hunting for Sustainability in Tropical Forests*, pp. 427–454. New York: Columbia University Press.
- Eberhardt, L. L. and M. A. Simmons. 1992. Assessing rates of increase from trend data. *Journal of Wildlife Management* 56:603–610.
- Eisenberg, J. F. 1979. Habitat, economy, and society: Some correlations and hypothesis for the Neotropical primates. In I. S. Bernstein and E. O. Smith, eds., *Ecological Influences on Social Organization: Evolution, and Adaptation*. New York: Garland S.T.P.M. Press.
- Eisenberg, J. F. 1981. *The Mammalian Radiations: An Analysis of Trends in Evolution, Adaptation and Behavior*. Chicago: University of Chicago Press.
- Eisenberg, J. F. 1989. *Mammals of the Neotropics. Vol. I. The Northern Neotropics*. Chicago.: University of Chicago Press.
- Eisenberg, J. F. and R. W. Thorington, Jr. 1973. A preliminary analysis of a Neotropical mammal fauna. *Biotropica* 5:150–161.
- Eiten, G. 1974. An outline of the vegetation of South America. *Symp. Congr. Int. Primatol. Soc.* 5th: 529–545.
- EletroNorte. 1985. *Usina hidroelétrica de Tucurui, operação Curupira. Atividades Técnicas (ATE-015/85)*. Brasília.




[420] Bibliography

- Eletronorte. 1988. *Estudos de impacto ambiental (EIA)*. Vol. 2. *Metodología e diagnóstico ambiental*. Brasília.
- Eletronorte. 1989. *Relatório da operação Jamari*. Brasília.
- Ellis, R. 2002. *Diálogo entre conocimientos: Lecciones aprendidas de investigación participativa con pueblos indígenas*. Santa Cruz, Bolivia: CIDOB-DFID.
- Ellison, L. N. and L. Cleary. 1978. Effects of human disturbance on breeding of Double-Crested Cormorants. *Auk* 95:510–517.
- El Peruano. Normas Legales. 1995. *Régimen de la propiedad, comercialización, y sanciones por la caza de las especies de vicuña, Guanaco, y sus Híbridos No. 5480*. Lima: Peruvian Federal Government.
- Eltringham, S. K. 1984. *Wildlife Resources and Economic Development*. Chichester, U.K.: Wiley.
- Emmons, L. 1999. *Neotropical Rain Forest Mammals: A Field Guide*. 2d ed. Chicago: University of Chicago Press.
- Emmons, L. H. 1984. Geographical variation in densities and diversities of nonflying mammals in Amazonia. *Biotropica* 16:210–222.
- Emmons, L. H. 1987. Comparative feeding ecology of felids in a neotropical rain forest. *Behav. Ecol. Sociobiol.* 20:271–283.
- Engel, R. L. 1990. *A utilização de interações sociais do collared peccary (Tayassu tajacu) para a determinação da densidade de criação em cativeiro*. Undergraduate thesis. São Paulo: Biologia, Universidade Estadual Paulista.
- Escamilla, A., M. Sanvicente, M. Sosa, and C. Galindo. 2000. Habitat mosaic, wildlife availability, and hunting in the tropical forest of Calakmul, Mexico. *Conservation Biology* 14:1592–1601.
- Ewer, R. F. 1973. *The Carnivores*. Ithaca, N.Y.: Cornell University Press.
- Fachín-Terán, A. 1992. Desove y uso de playas para nidificación de Taricaya (*Podocnemis unifilis*) en el río Samiria. Loreto-Perú. *Boletín de Lima* 79:65–75.
- Fachín-Terán, A. 1994. Depredación de la taricaya *Podocnemis unifilis* en la Reserva Nacional Pacaya-Samiria, Loreto. *Boletín de Lima* 16 (91–96):417–423.
- Fachín-Terán, A., M. Chumbe, and G. Taleixo. 1996. Consumo de tortugas de la Reserva Nacional Pacaya-Samiria. *Vida Silvestre Neotropical* 5:147–150.
- Fachín-Terán, A., R. C. Vogt, and J. B. Thorbjarnarson. 2000. Padrões de caça e uso de quelônios na Reserva de Desenvolvimento Sustentável Mamirauá, Amazonas, Brasil. In: E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre em Amazônia y Latinoamerica*, pp. 323–337. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Falabella, P. G. R., ed. 1994. *A pesca no Amazonas: problemas e soluções*. Manaus, Brazil: Universidade do Amazonas.
- Fang, T. F., R. E. Bodmer, R. Aquino, and M. H. Valqui, eds. 1997. *Manejo de fauna silvestre en la Amazonía*. La Paz: Editorial Instituto de Ecología.
- Fang, T. F., O. L. Montenegro, and R. E. Bodmer, eds. 1999. *Manejo y conservación de fauna silvestre en América Latina*. La Paz: Instituto de Ecología.
- Feeare, C. J. 1976. The exploitation of Sooty Tern eggs in the Seychelles. *Biological Conservation* 10:169–181.
- Fearnside, P. M. 1989. Brazil's Balbina dam: Environment versus the legacy of the pharaohs in Amazonia. *Environmental Management* 13:401–423.
- Feinsinger, P., L. Margutti, and R. D. Oviedo. 1997. School yards and nature trails: Ecology education outside the university. *Trends in Ecology and Evolution* 12:115–20.
- Fernandes, E. C. M. and Nair, P. K. R. 1986. An evaluation of the structure and function of tropical homegardens. *Agricultural Systems* 21:279–310.
- Ferrari, S. F. 1993. Ecological differentiation in the Callitrichidae. In A. B. Rylands, ed., *Marmosets and Tamarins: Systematics, Behaviour, and Ecology*. Oxford: Oxford University Press.
- Ferrari, S. F. and M. A. Lopes Ferrari. 1989. A reevaluation of the social organization of the Callitrichidae, with reference to the ecological differences between genera. *Folia Primatologica* 52:132–147.
- Ferrari, S. F. and A. B. Rylands. 1994. Activity budgets and differential visibility in field studies of three marmosets (*Callithrix* spp.). *Folia Primatologica* 63:78–83.
- Ferreira, A. R. 1971. *Viagem filosófica pelas capitâncias do Grão Pará, Rio Negro, Mato Grosso e Cuiabá 1783–1792. Iconografia*. Vol. 2. *Zoologia*. Rio de Janeiro: Conselho Federal de Cultura.
- Ferreira, A. R. 1972. *Viagem filosófica pelas capitâncias do Grão Pará, Rio Negro, Mato Grosso e Cuiabá 1783–1792. Memórias: Zoologia, Botânica*. Rio de Janeiro: Conselho Federal de Cultura.


Bibliography [421]

- Fimbel, C., B. Curran, and L. Usongo. 2000. Enhancing the sustainability of duiker hunting through community participation and controlled access in the Lobéké region of southeastern Cameroon. In J. G. Robinson and E. L. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 356–374. New York: Columbia University Press.
- Fischer, C. F. A. 1995. *Administração dos recursos pesqueiros na região do Médio Amazonas (Pará e Amazonas)*. Brasília: IBAMA.
- Fischer, C. F. A., A. L. Chagas, and L. D. C. Dornelles. 1992. *Pesca de águas interiores*. Coleção Meio Ambiente: Série estudos: Pesca. 2. Brasília: IBAMA.
- Fittkau, E. J., U. Irmler, W. Junk, F. Reiss, and G. W. Schmidt. 1975. Productivity, biomass and population dynamics in Amazonian water bodies. In F.B Golley and E. Medina, eds., *Tropical Ecological Systems: Trends in Terrestrial and Aquatic Research*, pp. 284–311. New York: Springer-Verlag.
- Fitzgerald, L. A., J. M. Chami, and O. E. Donadío. 1991. Tupinambis lizards in Argentina: Implementing management of a traditionally exploited resource. In J. Robinson and K. Redford, eds., *Neotropical Wildlife Use and Conservation*, pp. 303–316. Chicago: University of Chicago Press.
- Flesher, K. 1999. Preliminary notes on the conservation status of Baird's tapir in northeastern Honduras. *Oryx* 33:294–300.
- Flowers, N. M. 1983a. *Forager-Farmers: The Xavante Indians of Central Brazil*. Ph.D. dissertation. New York: City University of New York.
- Flowers, N. M. 1983b. Seasonal factors in subsistence, nutrition, and child growth in a central Brazilian Indian community. In R. B. Hames and W. T. Vickers, eds., *Adaptive Responses of Native Amazonians*, pp. 357–392. New York: Academic Press.
- Foerster, C. R. 1998. *Ambito de hogar, patrón de movimientos y dieta de la danta Centroamericana (Tapirus bairdii) en el Parque Nacional Corcovado, Costa Rica*. M.S. thesis. Heredia, Costa Rica: Universidad Nacional.
- Fontenele, O. 1948. *Revisão bibliográfica sobre o pirarucu (Arapaima gigas Cuvier 1815)*. Fortaleza, Brazil: DNOCS.
- Fontes, G. M. 1966. *Alexandre Rodrigues Ferreira: Aspectos de sua vida e obras*. Manaus, Brazil: INPA.
- Forman, R. T. T. 1995. *The Ecology of Landscapes and Regions*. New York: Cambridge University Press.
- Forys, E. A. 1995. *Metapopulations of Marsh Rabbits: A Population Viability Analysis of the Lower Keys Marsh Rabbit (Sylvilagus palustris hefneri)*. Ph.D. dissertation. Gainesville: University of Florida.
- Fox, B. J. 1989. Community ecology of macropodoids. In G. Grigg, P. Jarman, and I. Hume, eds., *Kangaroos, Wallabies, and Rat-kangaroos*, pp. 89–104. Chipping Norton, Australia: Beatty.
- Fragoso, J. M. V. 1991. The effect of selective logging on Baird's tapir. In M. A. Mares and D. J. Schmidly, eds., *Latin American Mammalogy: History, Biodiversity, and Conservation*, pp. 295–304. Norman: University of Oklahoma Press.
- Fragoso, J. M. V. 1994. *Large Mammals and the Community Dynamics of an Amazonian Rain Forest*. Ph.D. dissertation. Gainesville: University of Florida.
- Fragoso, J. M. V. 1998a. Home range and movement patterns of white-lipped peccary (*Tayassu pecari*) herds in the northern Brazilian Amazon. *Biotropica* 30:458–469.
- Fragoso, J. M. V. 1998b. White-lipped peccaries and palms on the Ilha de Maracá. In W. Milliken and J.A. Ratter, eds., *Maracá: The Biodiversity and Environment of an Amazonian Rain Forest*, pp. 151–163. Chichester, U.K.: Wiley.
- Fragoso, J. M. V. 1999. Perception of scale and resource partitioning by peccaries: Behavioral causes and ecological implications. *Journal of Mammalogy* 80:993–1003.
- Fragoso, J. M. V., K. M. Silvius, and M. Prada Villa-Lobos. 2000. *Wildlife Management at the Rio das Mortes Xavante Reserve, MT, Brazil: Integrating Indigenous Culture and Scientific Methods for Conservation*. Brasília: World Wildlife Fund-Brazil.
- Frankham, R. 1995. Effective population size/adult population size ratios in wildlife: A review. *Genet Res. Camb.* 66:95–107.
- Frankham, R. and I. R. Franklin. 1998. Response to Lynch and Lande. *Anim. Conserv.* 1:73.
- Franklin, I. R. 1980. Evolutionary change in small populations. In M. E. Soulé and B. A. Wilcox, eds., *Conservation Biology: An Evolutionary-Ecological Perspective*, pp. 135–149. Sunderland, Mass.: Sinauer.
- Frasson, C. and Salgado, J. M. 1990. Capivara-Uma opção contra a fome e a deficiência de proteína animal. In *Anais interface nutrição X agricultura (2º Simpósio)*, pp. 175–200. Piracicaba, Brazil: Fundação de Estudos Agrários “Luiz de Queiroz” (FEALQ).




[422] Bibliography

- Frederick, P. C. and M. W. Collopy. 1989. Researcher disturbance in colonies of wading birds: Effects of frequency of visits and egg-marking on reproductive parameters. *Colonial Waterbirds* 12:52–157.
- Freese, C. H. 1997a. *Harvesting Wild Species: Implications for Biodiversity Conservation*. Baltimore: Johns Hopkins University Press.
- Freese, C. H. 1997b. The “use it or lose it” debate: Issues of a conservation paradox. In C. H. Freese, ed., *Harvesting Wild Species: Implications for Biodiversity Conservation*, pp. 1–48. Baltimore: Johns Hopkins University Press.
- Freese, C. H. 1998. *Wild Species as Commodities*. Washington, D.C.: Island Press.
- Freese, C. H., P. G. Heltne, N. Castro, and G. Whitesides. 1982. Patterns and determinants of monkey densities in Peru and Bolivia, with notes on distribution. *International Journal of Primatology* 3:53–90.
- Fritz, S. 1922. *Journal of the Travels and Labours of Father Samuel Fritz in the River of the Amazons between 1686 and 1723*. London: Hakluyt Society.
- Fukushima, M., Takayama, Y., Habaguchi, T., and Nakano, M. 1997. Comparative hypocholesterolemic effects of capybara (*Hydrochoerus hydrochaeris*) oil, horse oil, and sardine oil in cholesterol-fed rats. *Lipids* 32:391–395.
- Fundación Natura. In press. *Memorías del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de sostenibilidad*. Bogotá: Fundación Natura.
- Fyfe, D. A. and R. D. Routledge. 1991. *User's Manual for the Program TransAn. Version 1.00*. M.S. thesis. Burnaby, Canada: Simon Fraser University.
- Gallagher, J. F., L. W. Varner, and W. E. Grant. 1984. Nutrition of the collared peccary in South Texas. *Journal of Wildlife Management* 48:749–761.
- García Canclini, N. 1982. *Las culturas populares en el capitalismo*. México, D.F.: Editorial Nueva Imagen.
- Garcia-Pelayo and R. Gross. 1979. *Nuevo Larousse básico*. Mexico, D.F.: Ediciones Larousse.
- Gary, F. J. and B. C. Brown. 1984. Protein requirement of adult collared peccaries. *Journal of Wildlife Management* 49:351–355.
- Gentry, A. 1988. Tree species richness of upper Amazonian forests. *Proceedings of the National Academy of Sciences* 85:156–159.
- Gerrits, R. A. and H. Baas. 1997. *A Flood of Change: Appraisal on Development Impacts on Fish Stocks in the Middle Amazon Region and its Consequences for the Rural Population*. Unpublished report. Faro (PA), Brazil: Fundação Olho d’água.
- Gibbons, J. W., J. L. Greene, and J. D. Congdon. 1990. Temporal and spatial movement patterns of slider and other turtles. In J. Whitfield Gibbons, ed., *Life History and Ecology of the Slider Turtle*, pp. 201–215. Washington, D.C.: Smithsonian Institution Press.
- Gibbs, J. P., H. L. Snell, and C. E. Causton. 1999. Effective monitoring for adaptive wildlife management: Lessons from the Galápagos Islands. *Journal of Wildlife Management* 63:1055–1065.
- Gilpin, M. 1997. Metapopulation and wildlife conservation: Approaches to modeling spatial structure. In D. R. McCullough, ed., *Metapopulation and Wildlife Conservation*, pp. 11–27. Washington, D.C.: Island Press.
- Gilpin, M. E. 1987. Spatial structure and population vulnerability. In M. E. Soulé, ed., *Viable Populations for Conservation*, pp. 125–139. Cambridge: Cambridge University Press.
- Glanz, W. E. 1982. Fauna de mamíferos terrestres de la Isla Barro Colorado: Censos y cambios a largo plazo. In E. G. Leigh, A. S. Rand, and D. M. Windsor, eds., *Ecología de un bosque tropical*, pp. 523–536. Balboa, Panamá: Smithsonian Tropical Research Institute.
- Godoy, R., N. Brokaw, and D. Wilkie. 1995. The effect of income on the extraction of forest products: Model, hypotheses, and preliminary findings from the Sumu Indians of Nicaragua. *Human Ecology* 23:29–52.
- Godoy, R., K. Kirby, and D. Wilkie. 2001. Tenure security, private time preference, and use of natural resources among lowland Bolivian Amerindians. *Ecological Economics* 38:105–118.
- Godoy, R., D. Wilkie, and J. Franks. 1997. The effects of markets on neotropical deforestation. A comparative study of four Amerindian societies. *Current Anthropology* 38:875–878.
- Godshalk, R. 1978. *El caimán del Orinoco, Crocodylus intermedius, en los llanos occidentales de Venezuela con observaciones sobre su distribución en Venezuela y recomendaciones para su conservación*. Caracas: FUDENA.




Bibliography [423]

- González, L. 1998. La herpetofauna del Izozog. *Ecología en Bolivia* 31:45–52.
- González, J. A. 1999a. Effects of harvesting of waterbirds and their eggs by native people in the north-eastern Peruvian Amazon. *Waterbirds* 22 (2):217–224.
- González, J. A. 1999b. *Propuesta de manejo de loros y guacamayos en la comunidad de Victoria*. Iquitos, Perú: Junglevagt for Amazonas, WWF/DK-AIF.
- González, J. A. 1999c. Aves silvestres de importancia económica en el sector meridional de la Reserva Nacional Pacaya-Samiria (Loreto, Perú). In T. G. Fang, O. L. Montenegro, and R. E. Bodmer eds., *Manejo y conservación de fauna silvestre en América Latina*, pp. 315–328. La Paz: Editorial Instituto de Ecología.
- González-Jiménez, E. 1977. Digestive physiology and feeding of capybaras. In: Rechcige, M., ed., *Nutrition and Food. Section G: Diets, Culture Media, Food Supplements*. Vol. 1, pp. 167–177. Cleveland: C.R.C. Press.
- González-Jiménez, E., A. Escobar, and O. Caires. 1976. Un método para detectar coprofágia en chigüires: Resultados. In *Programa y resúmenes. II seminário sobre Chigüires (Hydrochoerus hydrochaeris) y Babas (Caiman crocodilus)*, 2. Maracay, Venezuela: Facultad de Agronomía-UCV, CONICIT, IPA.
- González-Jiménez, E. and R. Parra. 1972. Estudios sobre el chigüire (*Hydrochoerus hydrochaeris*). 1. Peso de los diferentes órganos y partes del cuerpo. *A. Cient. Ven.* 23:30.
- González-Jiménez, E. G. 1995. *El capibara-estado actual de su producción*. FAO study. Rome: Animal Health Production, FAO.
- Good, K. 1989. *Yanomami Hunting Patterns: Trekking and Garden Relocation as an Adaptation to Game Availability in Amazonia, Venezuela*. Ph.D. dissertation. Gainesville: University of Florida.
- Gordon, I. J. 1989. Vegetation community selection by ungulates on the Isle of Rhum, III: Determinants of vegetation community selection. *J. Appl. Ecol.* 26:65–79.
- Gottdenker, N. and R. E. Bodmer. 1998. Reproduction and productivity of white-lipped and collared peccaries in the Peruvian Amazon. *Journal of Zoology* 245:423–430.
- Goulding, M. 1979. *Ecologia da pesca do Rio Madeira*. Manaus, Brazil: INPA.
- Goulding, M. 1980. *The Fishes and the Forest*. Berkeley: University of California Press.
- Goulding, M. 1983. The role of fishes in seed dispersal and plant distribution in Amazonian floodplain ecosystems. *Sonderbd. Naturwiss. Ver. Hamburg* 7:271–283.
- Goulding, M. 1993. Flooded forests of the Amazon. *Scientific American* 268:114–120.
- Goulding, M. 1999. Introduction: Fish and fisheries. In C. Padoch, J. M. Ayres, M. Pinedo-Vasquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 3–6. New York: New York Botanical Garden Press.
- Goulding, M., M. L. Carvalho, and E. G. Ferreira. 1988. *Rio Negro: Rich Life in Poor Water*. The Hague: SPB Academic Publishing.
- Goulding, M., N. J. H. Smith, and D. J. Mahar. 1996. *Floods of Fortune: Ecology and Economy Along the Amazon*. New York: Columbia University Press.
- Graham, L. R. 1995. *Performing Dreams: Discourses of Immortality Among the Xavante of Central Brazil*. Austin: University of Texas Press.
- Graham, L. R. 2000. Lessons in collaboration: The Xavante. WWF wildlife management project in central Brazil. In R. Weber, J. Butler, and P. Larson, eds., *Indigenous Peoples and Conservation Organizations*, pp. 47–72. Washington, D. C.: World Wildlife Fund-U.S.
- Grenand, P. 1996. Des fruits, des animaux, et des hommes: Stratégies de chasse et de pêche chez les Wayapi d'Amazonie. In C. M. Hladik, A. Hladik, H. Pagezy, O. F. Linares, G. J. A. Koppert, and A. Froment, eds., *L'alimentation en forêt tropicale. Interactions bioculturelles et perspectives de développement*, pp. 671–684. Paris: UNESCO.
- Gribel, R. 1990. The Balbina disaster: The need to ask why? *The Ecologist* 20:133–135.
- Grimwood, I. R. 1969. *Notes on the Distribution and Status of Some Peruvian Mammals* 1968. Special publication No. 21. New York: American Committee for International Wild Life Protection and New York Zoological Society.
- Gross, D., G. Eiten, N. M. Flowers, F. M. Leoi, M. L. Ritter, and D. Werner. 1979. Ecology and acculturation among native peoples of central Brazil. *Science* 206:1043–1050.
- Gross, J. E., P. U. Alkon, and M. W. Demment. 1996. Nutrition ecology of dimorphic herbivores: Digestion and passage rates in Nubian ibex. *Oecologia* 107:170–178.




[424] Bibliography

- Guerrant, Jr., E. O. 1992. Genetic and demographic considerations in the sampling and reintroduction of rare plants. In P. L. Fiedler and S. K. Jain, eds., *Conservation Biology: The Theory and Practice of Nature Conservation, Preservation, and Management*, pp. 321–344. New York: Chapman and Hall.
- Guerrero, J. and A. Arambiza. 2001. *Lista preliminar de las aves del P.N. Kaa-Iya del Gran Chaco e Izozog*. Santa Cruz, Bolivia: Kaa-Iya Project.
- Guerrero, J., A. Arambiza, L. González, and E. Ity. 2000. Estudio de los Psittacidae sometidos a cacería por comunidades Guaranés-Izozefas. In W.R. Townsend, K. Rivero, C. Peña, and K. Linzer, eds., *Memorias del primer encuentro nacional de manejo de fauna en los Territorios Indígenas de Bolivia*, pp. 25–30. Santa Cruz, Bolivia: CIDOB.
- Guinart, S. D. 1997. *Los mamíferos del bosque semideciduo neotropical de Lomerío (Bolivia): Interacción Indígena*. Ph.D. dissertation. Barcelona: Universidad de Barcelona.
- Gumilla, J. 1963 [1745]. *El Orinoco ilustrado y defendido*. Biblioteca Nacional de la Historia. No. 68. Caracas.
- Hall, A. 1997. *Sustaining Amazonia: Grassroots Action for Productive Conservation*. Manchester: Manchester University Press.
- Hames, R. B. 1980. Game depletion and hunting zone rotation among the Ye'kwana and Yanomamo of Amazonas, Venezuela. *Working Papers on South American Indians* 2:31–66.
- Hanek, G. 1982. *La pesquería en la Amazonía peruana: Presente y futuro*. FAO Technical Fisheries Document No 81. Rome: FAO.
- Hansen, E. and C. Richard-Hansen. 2000. *Faune de Guyane. Guide des principales espèces soumises à réglementation*. Garies, France: Le Guen Editions.
- Hansen, R. M., M. M. Mugambi, and S. M. Baum. 1985. Diets and trophic ranking of ungulates of the northern Serengeti. *Journal of Wildlife Management* 49:823–829.
- Hanski, I. and M. Gilpin. 1991. Metapopulation dynamics: Brief history and conceptual domain. In M. Gilpin and I. Hanski, eds., *Metapopulation Dynamics: Empirical and Theoretical Investigations*, pp. 3–16. London: Academic Press.
- Hanski, I. and M. E. Gilpin. 1997. *Metapopulation Biology: Ecology, Genetics, and Evolution*. San Diego: Academic Press.
- Hanski, I. and D. Simberloff. 1997. The metapopulation approach, its history, conceptual domain, and application to conservation. In I. A. Hanski and M. E. Gilpin, eds., *Metapopulation Biology: Ecology, Genetics, and Evolution*, pp. 5–26. San Diego: Academic Press.
- Harris, S., W. J. Cresswell, P. G. Forde, W. J. Trewella, T. Whoppard, and S. Wray. 1990. Home range analysis using radio-tracking data: A review of problems and techniques particularly as applied to the study of mammals. *Mammal Review* 20:97–123.
- Harrison, S. 1991. Local extinction in a metapopulation context: An empirical evaluation. In M. E. Gilpin and I. Hanski, eds., *Metapopulation Dynamics: Empirical and Theoretical Investigations*, pp. 73–88. London: Academic Press.
- Hart, J. A. 2000. Impact and sustainability of indigenous hunting in the Ituri forest, Congo-Zaire: A comparison of unhunted and hunted duiker populations. In J. G. Robinson and E. L. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 106–153. New York: Columbia University Press.
- Hasler, R. 1996. Agriculture, Foraging, and Wildlife Resource Use in Africa. Cultural and Political Dynamics in the Zambezi Valley. New York: Kegan Paul International.
- Haynes, A. M. 1987. Human exploitation of seabirds in Jamaica. *Biological Conservation* 41:99–124.
- Hemming, J. 1978. *Red Gold: The Conquest of the Brazilian Indians, 1500–1760*. Cambridge, Mass.: Harvard University Press.
- Henderson, P. A. and W. G. R. Crampton. 1997. A comparison of fish diversity and density between nutrient rich and poor lakes in the Upper Amazon. *J. Tropical Ecology* 13:175–198.
- Henderson, P. A., W. D. Hamilton, and W. G. R. Crampton. 1998. Evolution and diversity in Amazonian floodplain communities. In D. M. Newbery, H. H. T. Prins, and N. D. Brown, eds., *Dynamics of Tropical Communities*, pp. 385–419. Oxford: Blackwell Science.
- Herrera, E. A. 1985. Coprophagy in capybara, *Hydrochoerus hydrochaeris*. *J. Zool. Ser. A* 207:616–9.
- Hill, K. and K. Hawkes. 1983. Neotropical hunting among the Aché of eastern Paraguay. In R. B. Hames and W. T. Vickers, eds., *Adaptive Responses of Native Amazonians*, pp. 139–188. New York: Academic Press.
- Hill, K., and J. Padwe. 2000. Sustainability of Aché hunting in the Mbaracayú Reserve, Paraguay. In




Bibliography [425]

- J. G. Robinson and E. L. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 79–105. New York: Columbia University Press.
- Hill, K., J. Padwe, C. Bejvagi, A. Bepurangi, F. Jakugi, R. Tykuanang, and T. Tykuanang 1997. Impact of hunting on large vertebrates in the Mbaracayú Reserve, Paraguay. *Conservation Biology* 11:1339–1353.
- Hirakawa, H. 2001. Coprophagy in leporids and other mammalian herbivores. *Mammal Review*, 31:61–80.
- Hiraoka, M. 1995. Aquatic and land fauna management among the floodplain ribereños of the Peruvian Amazon. In T. Nishiza Wa and J. I. Uitto, eds., *The Fragile Tropics of Latin America: Sustainable Management of Changing Environments*, pp. 201–225. Tokyo: United Nations University Press.
- Hitchcock, R. K. 2000. Traditional African wildlife utilization: Subsistence hunting, poaching, and sustainable use. In H. H. T. Prins, J. G. Grotenhuis, and T. T. Dolan, eds., *Wildlife Conservation by Sustainable Use*, pp. 389–416. Dordrecht, Netherlands: Kluwer Academic.
- Hoces, D. 2000. Estado actual y perspectivas del mercado de fibra de vicuña. In B. Gonzalez, F. Bas, C. Tala, and A. Iriarte, eds., *Manejo sustentable de la vicuña*, pp. 223–231. Santiago: Pontificia Universidad Católica de Chile.
- Hofmann, R. R. 1973. *The Ruminant Stomach: Stomach Structure and Feeding Habits of East African Game Ruminants*. Nairobi: Kenya Literature Bureau.
- Hofmann, R. R. 1988. Anatomy of the gastrointestinal tract. In D. C. Church, ed., *The Ruminant Animal: Digestive Physiology and Nutrition*, pp. 14–43. Englewood Cliffs, N.J.: Prentice Hall.
- Hoogesteijn, R., A. Hoogesteijn, and E. Mondolfi. 1993. Jaguar predation and conservation: Cattle mortality caused by felines in three ranches in the Venezuelan Llanos. In N. Dunstone and M. L. Gordon, eds., *Mammals as Predators*, pp. 391–407. Symposia 65. London: Zoological Society.
- Horn, H. S. 1966. Measurement of “overlap” in comparative ecological studies. *Am. Nat.* 100:419–424.
- Howard, W. J., J. M. Ayres, D. Lima Ayres, and G. Armstrong. 1995. Mamirauá: A case study of biodiversity conservation involving local people. *Commonwealth Forestry Review* 74:76–79.
- Howe, R. W., G. J. Davis, and V. Mosca. 1991. The demographic significance of ‘sink’ populations. *Biological Conservation* 57:239–255.
- Hueck, K. 1972. *As florestas da América do Sul*. São Paulo: Editora Polígono e Editora Universidade de Brasília.
- Humboldt, A. 1975 [1859–1869]. *Del Orinoco al Amazonas. Viaje a las regiones equinocciales del Nuevo Continente*. Barcelona: Edt. Labor.
- Hunter, M. L. 1996. *Fundamentals of Conservation Biology*. Cambridge, Mass.: Blackwell Science.
- Hurt, R. and P. Ravn. 2000. Hunting and its benefits: An overview of hunting in Africa. In H. H. T. Prins, J. G. Grotenhuis, and T. T. Dolan, eds., *Wildlife Conservation by Sustainable Use*, pp. 295–314. Dordrecht, Netherlands: Kluwer Academic.
- IBAMA. 1996. *Legislação pesqueira*. Brasilia: IBAMA.
- IBAMA. 1997. *Administração participativa: Um desafio à gestão ambiental*. Brasilia: IBAMA.
- IBAMA. 2000. Projeto Iara. www.ibama.gov.br.
- IBGE. 1991. *Censo demográfico No. 4: Amazonas (Am): População residente por grupos de idade, seguindo as meso-regiões, os municípios, os distritos e o sexo*. Rio de Janeiro: IBGE.
- IBGE. 2001. *Censo 2000: Sinopse preliminar*. www.ibge.gov.br.
- IDRISIS. 1997. IDRISIS. Worcester, Mass.: Clark University Graduate School of Geography.
- Illius, A. W. and I. J. Gordon. 1991. Prediction of intake and digestion in ruminants by a model of rumen kinetics integrating animal size and plant characteristics. *J. Agric. Scienc.* 116:145–157.
- INEI. 1972. *Encuesta Nacional de Consumo de alimentos*. Lima: Instituto Nacional de Estadística-Perú.
- INEI. 1993. *Censo Nacional de población y vivienda*. Lima: Instituto Nacional de Estadística e Informática-Perú.
- INEI. 1995. *Compendio estadístico 1994–1995, Departamento Loreto*. Lima: Instituto Nacional de Estadística e Informática.
- Íñigo-Elías, E. E. and M. A. Ramos. 1991. The psittacine trade in Mexico. In J. G. Robinson and K. H. Redford, eds., *Neotropical Wildlife use and Conservation*, pp. 380–392. Chicago: University of Chicago Press.
- Ino, C., J. Kudrenecky, and W. R. Townsend. 2001. *Manejo de fauna en la TCO Sirionó: El recuento de*




[426] Bibliography

- taitetú* (Pecari tajacu). Publicaciones proyecto de investigación CIDOB-DFID No. 17. Santa Cruz, Bolivia: CIDOB.
- INRENA 1994. *Evaluación poblacional de vicuñas a nivel nacional*. Lima: Ministerio de Agricultura.
- INRENA. 1995. *Mapa ecológico del Perú. Guía explicativa*. Lima: Ministerio de Agricultura.
- Instituto Nacional de Ecología (INE). 2000. *Programa de manejo, Reserva de la Biosfera Montes Azules, México*. México, D.F.: Secretaría de Medio Ambiente, Recursos Naturales y Pesca.
- Instituto Nacional de Estadística, Geografía e Informática (INEGI). 2002. *Censo general de población y vivienda 2000*. Aguascalientes, México. (INEGI. www.inegi.gob.mx/difusion/ffpobla.html.)
- International Union for Conservation of Nature and Natural Resources (IUCN). 2000. 2000 IUCN Red list of threatened animals. Gland, Switzerland. (IUCN: Species Survival Commission. .)
- IPAM 2000a. *Reservas de lago e o manejo comunitário da pesca. Meta 1: Desenvolver sistemas de manejo para os lagos de várzea*. www.ipam.org.br.
- IPAM 2000b. *Instituto de Proteção do Meio Ambiente*. www.ipam.org.br.
- Isaac, V. J., V. L. C. Rocha, and S. Mota. 1993. Considerações sobre a legislação da "piracema" e outras restrições da pesca da região do Médio Amazonas. In L. G. Furtado, W. Leitão, and A. F. d. Melo, eds., *Povos das Águas, Realidade e Perspectivas na Amazônia*, pp. 292–301. Belém, Brazil: PR/MCT/CNPQ-MPEG.
- Isaac, V. J. and M. L. Ruffino. 1996. Population dynamics of tambaqui (*Colossoma macropomum* Cuvier 1818) in the lower Amazon, Brazil. *Fisheries Management and Ecology* 3:315–333.
- Isaac, V. J., M. Ruffino, and D. McGrath. 1998. In search of a new approach to fisheries management in the middle Amazon region. In F. Funk, J. Heifetz, and J. Lanelle, eds., *Proceedings of the Symposium on Fishery Stock Assessment Methods for the 21st Century*. Anchorage: Alaska Sea Grant College Program.
- IUCN. 1996. *Red List of Threatened Animals*. J. Baillie and B. Groombridge, comps. and eds. Gland, Switzerland: IUCN.
- Jackson, J. E. and J. D. Giuletti. 1988. The food habit of pampas deer (*Ozotoceros bezoarticus celer*) in relation to its conservation in a relict natural grassland in Argentine. *Biol. Conserv.* 45:1–10.
- Janzen, D. H. 1988. Tropical dry forests: The most endangered major tropical ecosystem. In E. O. Wilson, ed., *Biodiversity*, pp. 130–137. Washington, D.C.: National Academy Press.
- Jarman, P. J. 1971. Diets of large mammals in the woodlands around Lake Kariba. *Oecologia* 8:157–178.
- Jarman, P. J. and A. R. E. Sinclair. 1979. Feeding strategy and the pattern of resource partitioning in ungulates. In A. R. E. Sinclair and M. Norton-Griffiths, eds., *Serengeti: Dynamics of an Ecosystem*, pp 130–163. Chicago: University of Chicago Press.
- Johns, A. D. 1987. Continuing problems for Amazon river turtles. *Oryx* 21:25–28.
- Johns, A. D., and J. P. Skoruppa. 1987. Responses of rain forest primates to habitat disturbances: A review. *International Journal of Primatology* 8:157–191.
- Johnson, E. G. and R. D. Routledge. 1985. The line transect method: A nonparametric estimator based on shape restrictions. *Biometrics* 41:669–679.
- Johnson, M. K. 1982. Frequency sampling for microscopic analysis of botanical compositions. *J. Range Manage.* 35:541–542.
- Jorgenson, J. 2000. Wildlife conservation and game harvest by Maya hunters in Quintana Roo, Mexico. In J. Robinson and E. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 251–266. New York: Columbia University Press.
- Jorgenson, J. P. 1995. Maya subsistence hunters in Quintana Roo, Mexico. *Oryx* 29:49–57.
- Jorgenson, J. P. and K. H. Redford. 1993. Humans and big cats as predators in the Neotropics. In N. Dunstone and M. L. Gorman, eds., *Mammals as Predators*, pp. 367–390. Symposia 65. London: Zoological Society.
- Joshi, N. V. and M. Gadgil. 1991. On the role of refugia in promoting the prudent use of biological resources. *Theoretical Population Biology* 40:211–229.
- Junglevagt for Amazonas. 1995. *Programa integrado para el desarrollo y la conservación Pacaya-Samiria. Iquitos*: AIF-WWF/DK.
- Junk, W. J. 1973. Investigations on the ecology and production-biology of the "floating meadows" (Paspalo-Echinochloetum) on the middle Amazon. Part II. The aquatic fauna in the root zone of the floating vegetation. *Amazoniana* 4:9–102.
- Junk, W. J. 1983. Aquatic habitats in Amazonia. *The Environmentalist* 3:24–34.
- Junk, W. J. 1984. Ecology of the várzea floodplain of Amazonian white water rivers. In H. E. Sioli, ed.,




Bibliography [427]

- The Amazon: Limnology and Landscape Ecology of a Mighty Tropical River and Its Basin.* Dordrecht, Netherlands: Junk.
- Junk, W. J. 1997. General aspects of floodplain ecology. In W. Junk, ed., *The Central Amazon Floodplain: Ecology of a Pulsing System*, pp. 3–20. Berlin: Springer.
- Junk, W. J., P. B. Bayley, and R. E. Sparks. 1989. The flood pulse concept in river-floodplain systems. In D. P. Dodge, ed., *Proceedings of the International Large River Symposium*, pp. 110–127. Canadian Special Publications in Fisheries and Aquatic Sciences 106. Ottawa: National Research Council (NRC) Research Press.
- Junk, W. J. and J. A. S. Nunes de Mello. 1987. Impactos ecológicos das represas hidrelétricas na bacia Amazônica Brasileira. *Tubinger Geographische Studien* 95:367–385.
- Juste, J., J. E. Fa, J. Perez del Val, and J. Castroviejo. 1995. Market dynamics of bushmeat species in Equatorial Guinea. *Journal of Applied Ecology* 32:454–467.
- Kaa-Iya Project. 2000. *Ore, mbaembimba kaa ipo reta. Nosotros, los animales del monte*. Santa Cruz, Bolivia: Kaa-Iya Project.
- Kareiva, P. 1990. Population dynamics in spatially complex environments: Theory and data. *Phil. Trans. R. Soc. Lond. B.* 330:175–190.
- Kellert, S. R., M. Black, C. Reid Rush, and A. J. Bath. 1996. Human culture and large carnivore conservation in North America. *Conservation Biology* 10:977–990.
- Kettlewell, H. B. D. 1955. Selection experiments on industrial melanism in the lepidoptera. *Heredity* 9:323–342.
- Kiltie, R. A. 1980. *Seed Predation and Group Size in Rain Forest Peccaries*. Ph.D. dissertation. Princeton, N.J.: Princeton University.
- Kiltie, R. A. 1981. Stomach contents of rain forest peccaries (*Tayassu tajacu* and *T. pecari*). *Biotropica* 13(3):234–236.
- Kiltie, R. A. and J. Terborgh. 1983. Observations on the behavior of rain forest peccaries in Peru: Why do white-lipped peccaries form herds? *Z Tierpsychologia* 62:241–255.
- King, F. W. 1989. Conservation and Management. In C. H. Ross, ed., *Crocodiles and Alligators*, pp. 216–229. Silverwater, Australia: Golden Press.
- Kinsey, W. G. 1981. The titi monkeys, genus *Callicebus*. In A. F. Coimbra-Filho and R. A. Mittermeier, eds., *Ecology and Behavior of Neotropical Primates*. Vol. 1. Rio de Janeiro: Academia Brasileira de Ciências.
- Kirkwood, G. P., J. R. Beddington, and J. A. Rossouw. 1994. Harvesting species of different lifespans. In P. J. Edwards, R. M. May, and N. R. Webb, eds., *Large-Scale Ecology and Conservation Biology*, pp. 199–227. Oxford: Blackwell Science.
- Kleymeyer, C. D. 1994. Cultural traditions and community-based conservation. In D. Western and R.M. Wright, eds., *Natural Connections: Perspectives in Community-Based Conservation*, pp. 323–336. Washington, D.C.: Island Press.
- Knick, S. T. 1990. Ecology of bobcats relative to exploitation and a prey decline in southeastern Idaho. *Wildlife Monographs* 108:1–42.
- Kohlhepp, G. 1984. Development planning and practices of economic exploitation in Amazonia: Recent trends in spatial organisation of a tropical frontier region in Brazil. In H. Sioli, ed., *The Amazon: Limnology and Landscape of a Mighty Tropical River and its Basin*, pp. 649–674. Dordrecht, Netherlands: Junk.
- Konecny, M. J. 1989. Movement patterns and food habits of four sympatric carnivore species in Belize, Central America. In K. H. Redford and J. F. Eisenberg, eds., *Advances in Neotropical Mammalogy*, pp. 243–264. Gainesville, Fla.: Sandhill Crane Press.
- Krebs, C. 1989. *Ecological Methodology*. New York: Harper Collins.
- Krebs, C. J. and J. H. Myers. 1974. Population cycles in small mammals. *Adv. Ecol. Res.* 8:267–399.
- Kuchling, G. 1988. Population structure, reproductive potential and increasing exploitation of the freshwater turtle *Erymnochelys madagascariensis*. *Biological Conservation* 43:107–113.
- Laake, J. L., S. T. Buckland, D. R. Anderson, and K. P. Burnham. 1993. *DISTANCE User's Guide*. Fort Collins, Colo.: Colorado Cooperative Fish and Wildlife Service.
- Lacy, R. C. 1992. The effects of inbreeding on isolated populations: Are minimum viable population sizes predictable? In P. L. Fiedler and S. K. Jain, eds., *Conservation Biology: The Theory and Practice of Nature Conservation, Preservation, and Management*, pp. 277–296. New York: Chapman and Hall.
- Lama, M. 2000. Análisis de contenidos estomacales de *Tayassu pecari* y *Pecari tajacu* que habitan las




[428] Bibliography

- tierras del Alto y Bajo Izozog. In E. Cabrera, C. Mercollini, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 393–400. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Lande, R. 1995. Mutation and Conservation. *Conservation Biology* 9:782–791.
- Landeo, C. 1997. Usuarios del recurso taricaya (*Podocnemis unifilis*) en el río Manú. In T. F. Fang, R. E. Bodmer, R. Aquino, and M. H. Valqui, eds., *Manejo de fauna silvestre en la Amazonía*, pp. 182–183. La Paz: Editorial Instituto de Ecología.
- Langer, P. 1979. Adaptational significance of the forestomach of the collared peccary, *Dicotyles tajacu* (Mammalia: Artiodactyla). *Mammalia* 43:235–245.
- Larghero, M. C. 2001. *Dieta y solapamiento de la población de venado de campo “Los Ajos” (Ozotoceros bezoarticus L. 1758)* (Artiodactyla: Cervidae). M. S. thesis, Montevideo: University of Montevideo Republic.
- Larkin, P. A. 1977. An epitaph to the concept of maximum sustained yield. *Transcripts of the American Fisheries Society* 106:1–11.
- Lathrap, D. 1970. *The Upper Amazon*. New York: Praeger.
- Laurance, W. F. 2000. Megadevelopment trends in the Amazon: Implications for global change. *Environmental Monitoring and Assessment* 61:113–122.
- Laurance, W. F. 1991. Edge effects in tropical forests fragments: Application of a model for design of nature reserves. *Biological Conservation* 57:205–219.
- Lavorenti, A. 1989. Domestication and potential for genetic improvement of capybara. *Revista Brasileira de Genética*. 12(2 supl.):137–144.
- Lavorenti, A., P. B. Silva Neto, C. Meirelles, R. Machado Neto, I. U. Packer, W. R. S. Mattos, R. D. D’Arce, L. M. Verdade, and S. L. G. Nogueira-Filho. 1990. *Estudos dos aspectos biológicos, sociais e alimentares da capivara em cativeiro*. Unpublished scientific report. FINEP. Brasilia: Financiadora de Estudos e Projetos (FINEP).
- Leaños, F. and R. L. Cuéllar. 2000. Monitoreo de cacería en comunidades Izoceñas: datos del auto-monitoreo. In E. Cabrera, C. Mercollini, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 83–88. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Leeuwenberg, F. 1994. *Analise entno-zoológica e manejo de fauna cinegética na Reserva Indígena Xavante Rio das Mortes, aldeia Tenitipa, Mato Grosso, Brasil*. Unpublished final project report. Brasília: WWF-Brazil.
- Leeuwenberg, F. 1997a. Manejo de fauna cinegética na Reserva Indígena Xavante de Pimentel Barbosa, Estado de Mato Grosso, Brasil. In C. V. Padua and R. E. Bodmer, eds., *Manejo e conservação de vida silvestre no Brasil*, pp. 233–238. Brasília: CNPq/Belém, Brazil: Sociedade Civil Mamirauá.
- Leeuwenberg, F. 1997b. Manejo adaptado para fauna cinegética en reservas comunales indígenas: El ejemplo Xavante. In T. G. Fang, R. E. Bodmer, R. Aquino, and M. H. Valqui, eds., *Manejo de fauna silvestre en la Amazonía*, pp. 119–128. Lima: UNAP/University of Florida/UNDP-GEF/Instituto de Ecología.
- Leeuwenberg, F. and J. Robinson 2000. Traditional management of hunting in a Xavante community in central Brazil: The search for sustainability. In J. Robinson and E. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 375–394. New York: Columbia University Press.
- Leite, P. A.G., A. Lima-Neto, R. Fontana, and S. L.G. Nogueira Filho. 2001. Uso de uréia na alimentação de caititus (*Tayassu tajacu*) em cativeiro. In *Livro de resumos do XXVIII congresso Brasileiro de medicina veterinária*, p. 24. Salvador, Bahia, Brazil.
- Leite, R. A. N. de. 1991. The effects of the Tucurui hydroelectric dam on the fish fauna of the lower Tocantins River (Pará, Brazilian Amazon). Abstract. ASIH 71st Annual Meeting, New York.
- Lemos de Sá, R. 1995. *Effects of the Samuel Hydroelectric Dam on Mammal and Bird Communities in a Heterogeneous Amazonian Lowland Forest*. Ph.D. dissertation. Gainesville: University of Florida.
- Levy, E. B. and E. A. Madden. 1933. The point method of pasture analysis. *N.Z.J. Agric.* 46:267–279.
- Liao, W., D. S. Bhargava, and J. Das. 1988. Some effects of dams on wildlife. *Environmental Conservation* 15:68–70.
- Lichtenstein, G., E. F. Oribe, M. Grieg-Gran, S. Mazzuchelli. In press. Community Management of vicuñas in Peru. In *Proceedings of the 2d International Wildlife Management Congress*.
- Lima, D. M. 1992. *The Social Category Caboclo: History, Social Organization, Identity, and Outsider's*




Bibliography [429]

- Social Classification of the Rural Population of an Amazonian Region (the Middle Solimões).* Ph.D. dissertation. Cambridge: University of Cambridge.
- Lima, D. M. 1999. Equity, sustainable development, and biodiversity protection: Some questions about ecological partnerships in the Brazilian Amazon. In C. Padoch, J. M. Ayres, M. Pinedo-Vasquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 247–263. New York: New York Botanical Garden Press.
- Lima-Neto, A., S. S. C. Nogueira, and S. L. G. Nogueira-Filho. 2001. Aspectos comportamentais aplicados na determinação de técnicas de manejo alimentar para pecarí (Mammalia, Tayassuidae) em cativeiro. In *Livro de resumos do XXVIII congresso Brasileiro de medicina veterinária*, p. 22. Salvador, Bahia, Brazil.
- Liva, H., L. F. D. Moraes, S. L. G. Nogueira-Filho, and A. Lavorenti. 1989. Aspectos da alimentação do cateto (*Tayassu tajacu*) em cativeiro. In *Anais do I congresso paulista de iniciação científica*, Piracicaba, Brazil.
- Lochmiller, R. and Grant, W. 1982. Intraespecific aggression results in death of a collared peccary. *Zoo Biology* 1:161–162.
- Lochmiller, R.L., E. C. Hellgren, J. F. Galagher, L. W. Varner, and W. E. Grant. 1989. Volatile fatty acids in the gastrointestinal tract of the collared peccary (*Tayassu tajacu*). *Journal of Mammalogy* 70:189–191.
- López-Barbela, S. 1982. Determinación del ciclo estral en Chigüires (*Hydrochoerus hydrochaeris*). *Acta Científica Venezolana* 33:497–501.
- López-Barbela, S. 1984. Una contribución al conocimiento de la reproducción del chigüire (*Hydrochoerus hydrochaeris*). *Informe Anual do IPA*:109–117.
- López-Barbela, S. 1993. Gestación y reproducción post-parto en el báquiro de collar (*Tayassu tajacu*). *Rev. Fac. Agron.* 19:175–184.
- Lowe McConnell, R. H. 1987. *Ecological Studies in Tropical Fish Communities*. Cambridge: Cambridge University Press.
- Ludlow, M. E. and Sunquist, M. E. 1987. Ecology and behavior of ocelots in Venezuela. *Natl. Geogr. Res. Rep.* 3:447–461.
- Lundberg, P., and N. Jonzén. 1999. Optimal population harvesting in a source-sink environment. *Evolutionary Ecology Research* 1:719–729.
- Luthin, C. S. 1987. Status and conservation priorities for the world's stork species. *Colonial Waterbirds* 10:181–202.
- Lynch, M. and Lande, R. 1998. The critically effective size for a genetically secure population. *Animal Conservation* 1:70–72.
- MacArthur, R. H. 1972. *Geographical Ecology: Patterns in the Distribution of Species*. New York: Harper and Row.
- Macdonald, D. W. 1981. Dwindling resources and the social behavior of capybara (*Hydrochoerus hydrochaeris*) (Mammalia). *Journal of Zoology, Lond.* 194:371–391.
- MacMillan G. 1995. *At the End of the Rainbow? Gold, Land, and People in the Brazilian Amazon*. London: Earthscan.
- Maffei, L. 2001. Estructura de edades de la urina (*Mazama gouazoubira*) en el Chaco boliviano. *Mastozoología Neotropical* 8:149–155.
- Maffei, L. In press. Age structure of two species of peccaries under hunting pressure in the Bolivian Chaco. *Mammalia*.
- Maffei, L. and M. N. Becerra. 2000. Técnica básica para determinar la edad en ungulados silvestres en base al análisis de dientes. *Ecología en Bolivia* 34:39–44.
- Magnat, C. 2000. *Le commerce de gibier en Guyane: Essai de caractérisation de la filière, et impact des personnes de passage dans la région*. DESS Report. CIRAD/EMVT.
- Magnusson, W. E. 1993. Manejo da vida silvestre na Amazônia. In E. J. G. Ferreira, G. M. Santos, E. L. M. Leão, and L. A. Oliveira, eds., *Bases científicas para estratégias de preservação e desenvolvimento da Amazônia*, Vol. 2, pp. 313–318. Manaus, Brazil: Instituto Nacional de Pesquisas da Amazônia.
- Main, M. B., F. W. Weckerly, and V. Bleich. 1996. Sexual segregation in ungulates: New directions for research. *J. Mammal.* 77:449–461.
- Malcolm, J. R. and J. C. Ray. 2000. Influence of timber extraction routes on central African small-mammal communities, forest structure, and tree diversity. *Conservation Biology* 14:1623–1638.




[430] Bibliography

- Mamani, A. M. 2000. *Historia natural y uso de Ortalis canicollis (charata) en Izozog, Provincia Cordillera, Departamento de Santa Cruz*. Undergraduate thesis. Santa Cruz, Bolivia: UAGRM.
- Mamani, A. M. 2001. Aspectos biológicos y evaluación de la densidad poblacional de la charata *Ortalis canicollis* en Izozog, Prov. Cordillera del Dpto. Santa Cruz, Bolivia. In D. M. Brooks and F. González-García, eds., *Cracid Ecology and Conservation in the New Millennium*, pp. 87–100. Miscellaneous Publications No. 2. Houston: Houston Museum of Natural Science.
- Mandujano, S., and V. Rico-Gray. 1991. Hunting, use, and knowledge of the biology of the white-tailed deer (*Odocoileus virginianus* Hays) by the Maya of central Yucatan, Mexico. *Journal of Ethnobiology* 11:175–183.
- Mantovani, W and F. R. Martins. 1990. O método de pontos. *Acta Bot. Bras.* 4:95–122.
- March, I. 1993. The white-lipped peccary. In W. L. R. Oliver, ed., *Pigs, Peccaries, and Hippos—Status Survey and Conservation Plan*, pp. 13–21. Gland, Switzerland: IUCN.
- March, I. J. 1987. Los Lacandones de México y su relación con los mamíferos silvestres: Un estudio etnozoológico. *Biótica* 12:43–56.
- March, I. J., E. J. Naranjo, R. Rodiles, D. A. Navarrete, M. P. Alba, P. J. Hernández, S. E. Domínguez, D. A. López, O. Jiménez, and V. H. Loaiza. 1996. *Diagnóstico para la conservación y manejo de la fauna silvestre en la selva Lacandona, Chiapas*. Final report. San Cristóbal de Las Casas, Chiapas, México: Secretaría de Medio Ambiente, Recursos Naturales y Pesca (SEMARNAP).
- Marcum, C. L. and D. O. Loftsgaarden. 1980. A nonmapping technique for studying habitat preferences. *Journal of Wildlife Management* 44:963–968.
- Martin, C. B. and E. B. Martin. 1991. Profligate spending exploits wildlife in Taiwan. *Oryx* 25:18–20.
- Martin, C. H. G. 1983. Bushmeat in Nigeria as a natural resource with environmental implications. *Environmental Conservation* 10:125–132.
- Martínez, T. and R. L. Cuellar. In press. Fenología de plantas frutales importantes para la fauna silvestre en la comunidad Kopere Brecha, Izozog, Santa Cruz, Bolivia. In *Memorias del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de sostenibilidad*. Bogotá: Fundación Natura.
- Matola, S., A. D. Cuarón, and H. Rubio-Torgler. 1997. Status and action plan of Baird's tapir (*Tapirus bairdii*). In D. M. Brooks, R. E. Bodmer, and S. Matola, eds., *Tapirs: Status Survey and Conservation Action Plan*, pp. 29–45. IUCN/SSC Tapir Specialist Group. Gland, Switzerland: IUCN.
- Maybury-Lewis, D. 1967. *Akwe-Shavante Society*. Oxford: Clarendon Press.
- Mayer, J. J. and P. N. Brandt. 1982. Identity, distribution, and natural history of the peccaries, Tayassuidae. In M. A. Mares and H. H. Genoways, eds., *Mammalian Biology in South America*, pp. 433–455. Pittsburgh: University of Pittsburgh Press.
- Mayer, J. J. and R. M. Wetzel. 1987. *Tayassu pecari*. *Mammalian Species* 293:1–7.
- McCullough, D. 1987. The theory and management of *Odocoileus* populations. In C. Wemmer, ed., *Biology and Management of the Cervidae*, pp. 535–549. Washington, D.C.: Smithsonian Institution Press.
- McCullough, D. R. 1996. Spatially Structured populations and harvest theory. *Journal of Wildlife Management* 60:1–9.
- McDonald, D. R. 1977. Food taboos: A primitive environmental protection agency (South America). *Anthropos* 72:734–748.
- McGoodwin, R. 1990. *Crisis in the World's Fisheries*. Palo Alto, Calif.: Stanford University Press.
- McGrath, D., F. de Castro, E. Câmara, and C. Futemma. 1999. Community management of floodplain lakes and the sustainable development of Amazonian fisheries. In C. Padoch, J. M. Ayres, M. Piedra-Vasquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 59–82. New York: New York Botanical Garden Press.
- McGrath, D., F. de Castro, and C. Futemma. 1994. Reservas de lago e o manejo comunitário de pesca no baixo Amazonas: Uma avaliação preliminar. In. M. A. Dínção and I. M. Silveira, eds., *Amazônia e a crise da modernização*. Belém, Brazil: Museu Paraense Emílio Goeldi.
- McGrath, D., F. de Castro, C. Futemma, B. Amaral, and J. Calabria. 1994. Manejo comunitário da pesca nos lagos de várzea do Baixo Amazonas. In. L. Furtado, A. Mello, and W. Leitão, eds., *Povo das águas: Realidade e perspectiva na Amazônia*. pp. 213–229. Belém, Brazil: Museu Paraense Emílio Goeldi.
- McGrath, D. G., U. L. de Silva, and N. M. M. Crossa. 1998. A traditional floodplain fishery of the lower Amazon river, Brazil. *NAGA (ICLARM quarterly)* January–March 1998:4–11.




Bibliography [431]

- McNeely, J. A. 1988. *Economics and Biological Diversity: Developing and Using Economic Incentives to Conserve Biological Resources*. Gland, Switzerland: IUCN.
- Mech, L. D. 1983. *Handbook of Animal Radio-Tracking*. Minneapolis: University of Minnesota Press.
- Medellín, R. A. 1994. Mammal diversity and conservation in the Selva Lacandona, Chiapas, México. *Conservation Biology* 83:780–799.
- Medem, F. 1981. *Los crocodylia de Sur America*. Vol. I. *Los crocodylia de Colombia*. Bogotá: Editorial Carrera 7a.
- Medem, F. 1983. *Los crocodylia de Sur América*. Vol. II. Bogotá: Editorial Carrera 7a.
- Medem, M. F. 1976. Recomendaciones respecto a contar el escamado y tomar las dimensiones de nidos, huevos y ejemplares de los Crocodylia y Testudines. *Lozania* 20:1–17.
- Meggers, B. J. and C. Evans. 1983. Lowland South America and the Antilles. In J. E. Jennings, ed., *Ancient South Americans*. pp. 286–335. San Francisco: W. H. Freeman.
- Mena, P., J. Stallings, J. Regalado, and R. Cueva. 2000. The sustainability of current hunting practices by the Huaorani. In J. Robinson and E. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 57–78. New York: Columbia University Press.
- Mendes, A. 1999. *Determinação da ocorrência de cecotrofia em capivaras (Hydrochoerus hydrochaeris hydrochaeris L. 1766)*. M. S. thesis. Piracicaba, São Paulo, Brazil: Escola Superior de Agricultura “Luiz de Queiroz.”
- Mendes, A., S. S. C. Nogueira, A. Lavorenti, and S. L. G. Nogueira-Filho. 2000. A note on cecotrophy behaviour in capybara (*Hydrochaeris hydrochaeris*). *Applied Animal Behavior Science*. 66:161–167.
- Mendoza, F. and A. Noss. In press. Radiotelemetría de pení *Tupinambis rufescens* en el Chaco seco, Santa Cruz, Bolivia. In *Memorias del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de sostenibilidad*. Bogotá: Fundación Natura.
- Menezes, R. S. 1951. *Notas biológicas e económicas sobre o pirarucu*. Serie de Estudos tecnicos No. 3. Rio de Janeiro: Ministerio da Agricultura.
- Merona, B. and M. M. Bittencourt. 1988. A pesca na Amazônia através dos desembarques no mercado de Manaus: Resultados preliminares. *Mem. Soc. Cienc. Nat. La Salle* 48(suplemento):433–453.
- Merona, B. de. 1990. Amazon fisheries: General characteristics based on two case studies. *Interciencia* 15:461–468.
- Meschkat, A. 1961. *Reports to the Government of Brazil on the Fisheries of the Amazon Region*. Rome: BRA/TE/Fi.
- Milliken, W. and J. A. Ratter. 1989. *The Vegetation of the Ilha de Maracá: First Report of the Vegetation Survey of the Maracá Rain Forest Project*. Edinburgh: Royal Botanical Garden.
- Ministerio de Ecología y Recursos Naturales Renovables. 1993. *Áreas protegidas de la selva paranaense en la provincia de Missiones, Argentina*. Missiones: MERNR.
- Ministerio de Agricultura. 1997. Programa de fortalecimiento de la competitividad comunal en la crianza de ucuñas. Lima: Ministerio.
- Miserendino, R. S. 2002. *Uso de hábitat y área de acción del taitetú (Pecari tajacu) en la zona de Cerro Cortado, Izozog (Gran Chaco), Provincia Cordillera, Santa Cruz, Bolivia*. M.S. thesis. La Paz: Instituto de Ecología, UMSA.
- Mittermeier, R. A. 1975. A turtle in every pot. A valuable South American resource going to waste. *Animal Kingdom* April-May:9–14.
- Mittermeier, R. A., N. Myers, J. B. Thomsen, G. A. B. da Fonseca, and S. Olivieri. 1998. Biodiversity hotspots and major tropical wilderness area: Approaches to setting conservation priorities. *Conservation Biology* 12:516–520.
- Mittermeier, R. A., P. Robles-Gil, and C. Goetsch Mittermeier. 1997. *Megadiversity: Earth's Biological Wealthiest Nations*. Mexico City: CEMEX.
- Mittermeier, R. A., and M. G. M. van Roosmalen. 1981. Preliminary observations on habitat utilization and diet in eight Surinam monkeys. *Folia Primatologica* 36:1–39.
- Moll, D. 1986. The distribution, status, and level of exploitation of the freshwater turtle *Dermatemys mawei* in Belize, Central America. *Biological Conservation* 35:87–96.
- Mones, A. and J. Ojasti. 1986. *Hydrochoerus hydrochaeris*. *Mammalian Species*. 264:1–7.
- Montaño, R. R. 2000. Monitoreo de cacería de *Tupinambis* spp. (Sauria: Teiidae) en el Izozog: Provincia Cordillera, Santa Cruz, Bolivia. In E. Cabrera, C. Mercalli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 103–106. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.




[432] Bibliography

- Montaño, R. R. 2001. *Monitoreo de cacería y aspectos de la biología de *Tupinambis* spp.* (Sauria: Teiidae) en el Izozog, Provincia Cordillera, Santa Cruz, Bolivia. Undergraduate thesis. Santa Cruz, Bolivia: UAGRM.
- Montreuil, V., A. García, R. Rodriguez, and R. Del Aguila. 1997. Rendimiento maximo sostenible de la pesquería comercial de *Prochilodus nigricans* en la Amazonía peruana. Symposium internacional de fauna silvestre. Iquitos, Perú.
- Montreuil, V. and S. Tello. 1990. *Rendimiento máximo sostenible de la pesquería comercial de Loreto*. Fishbyte 8. Manila, Philippines: ICLARM.
- Moreira, G. and R. C. Vogt. 1990. Movements of *Podocnemis expansa* before and after nesting in the Trombetas river, Brazil. In *Abstracts of the 38th Annual Meeting Herpetologist' League and the 33d Annual Meeting of the Society for the Study of Amphibians and Reptiles*, p.79. New Orleans:Tulane University.
- Moreira, J. R. and D. W. Macdonald.1997. Técnicas de manejo de capivaras e outros grandes roedores na Amazônia. In C. Valladares-Padua, R. E. Bodmer; and L. Cullen, Jr., eds., *Manejo e conservação de vida silvestre no Brasil*, pp. 186–213. Brasília: CNPq/Belém, Brazil: Sociedade Civil Mamirauá.
- Moskovits, D. K. 1985. *The Behavior and Ecology of the Two Amazonian Tortoises*, Geochelone carbonaria and Geochelone denticulata, in Northwestern Brazil. Ph.D. dissertation. Chicago: University of Chicago.
- Mourão, G. M. 1999. Uso comercial da fauna silvestre no Pantanal: Lições do passado. In *Anais do II simpósio sobre recursos naturais e sócio-econômicos do Pantanal*, pp. 39–45. Corumbá, Brazil: Ed Embrapa-Pantanal.
- Mozans, H. J. 1910. *Up the Orinoco and Down the Magdalena*. New York: Appleton.
- Mukerjee, M. 1994. What's in a name? *Scientific American* 271:26.
- Munn, C. A. 1988. Macaw biology in Manu National Park, Peru. *Parrotletter* 1:18–21.
- Munn, C. A., D. A. Blanco, E. Nycander, and D. Ricalde. 1991. Prospects for sustainable use of large macaws in southeastern Peru. In J. Clinton-Etniear, ed., *Proceedings of the First Mesoamerican Workshop on Conservation and Management of Macaws*, pp. 42–47. Misc. Publication No. 1. San Antonio, Tex.: Center for the Study of Tropical Birds, Inc.
- Murray, M. G. and D. Brown. 1993. Niche separation of grazing ungulates in the Serengeti: An experimental test. *J. Anim. Ecol.* 62:380–389.
- Murray, M. G. and A. W. Illius. 2000. Vegetation modification and resource competition in grazing ungulates. *Oikos* 89:501–508.
- Naranjo, E. J. 1995. Abundancia y uso de hábitat del tapir (*Tapirus bairdii*) en un bosque tropical húmedo de Costa Rica. *Vida Silvestre Neotropical* 4:20–31.
- Naranjo, E. J. 2002. *Population Ecology and Conservation of Ungulates in the Lacandon Forest, Mexico*. Ph.D. dissertation. Gainesville: University of Florida.
- Naranjo, E. J. and E. Cruz. 1998. Ecología del tapir en la Reserva de la Biosfera La Sepultura. *Acta Zoológica Mexicana* 73:111–125.
- National Research Council. 1981. *Techniques for the Study of Primate Populations Ecology*. Washington, D.C.: National Academy Press.
- Navarro, G. 1999. *Ecología biogeográfica y uso de especies forestales y leñas en el Parque Nacional y ANMI Kaa-Iya del Gran Chaco*. Technical Report No. 50. Santa Cruz, Bolivia: Kaa-Iya Project.
- Neu, C. W., C. R. Byers, and J. M. Peek. 1974. A technique for analysis of utilization-availability data. *Journal of Wildlife Management* 38:541–545.
- Nogueira, S. S. C. 1997. *Manejo reprodutivo da capivara (Hidrochoerus hydrochaeris hydrochaeris) em sistema intensivo de criação*. Ph.D. Dissertation. Sao Paulo: Instituto de Psicologia, Departamento de Psicología Experimental, Universidade de São Paulo.
- Nogueira, S. S. C., S. L .G. Nogueira-Filho, E. Otta, C. T. S. Dias, and A. Carvalho. 1999. Determination of the causes of infanticide in capybara (*Hydrochaeris hydrochaeris*) groups in captivity. *Applied Animal Behavior Science*. 62:351–357.
- Nogueira, S. S. C., E. Otta, C. T. S. Dias, and S. L. G. Nogueira-Filho. 2000. Alloparental behavior in the capybara (*Hydrochoerus hydrochaeris*). *Revista de Etología* 2:17–21.
- Nogueira-Filho, S. L. G.1990. *Estudos da digestibilidade de nutrientes em caitetus (Tayassu tajacu) adultos submetidos a dietas com níveis crescentes de alimentos volumosos*. M.S. thesis. Piracicaba, Brasil: ESALQ/USP.




Bibliography [433]

- Nogueira-Filho, S. L. G. 1996. *Manual de criação de capivaras*. Viçosa, Brazil: Centro de Produções Técnicas (CPT).
- Nogueira-Filho, S. L. G. 1999. *Manual de criação de catetos e queixadas*. Viçosa, Brazil: Centro de Produções Técnicas (CPT).
- Nogueira-Filho, S. L. G., A. Lavorenti, R. L. Engel, E. K. Tabuchi, and P. S. Camargo. 1991. *A criação em manejo semiextensivo do cateto (Tayassu tajacu) e do queixada (Tayassu pecari)*. Unpublished scientific report. Brasília: CNPq.
- Nogueira-Filho, S. L. G. and S. S. C. Nogueira. 2000. Criação comercial de animais silvestres: Produção e comercialização da carne e subprodutos na região sudeste do Brasil. *Revista Econômica do Nordeste* 31:188–195.
- Nogueira-Filho, S. L. G., S. S. C. Nogueira, and T. Sato. 1999. A estrutura social de pecarí (Mammalia, Tayassuidae) em cativeiro. *Revista de Etología* 1:89–98.
- Noss, A. 2000. La sostenibilidad de la cacería de subsistencia Izoceña. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 535–544. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Noss, A. and E. Cuéllar. 2000. Índices de abundancia para fauna terrestre en el Chaco boliviano: Huelas en parcelas y en brechas barridas. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 73–82. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Noss, A. J. 1999. Manejo de fauna comunitario en el Gran Chaco, Bolivia. In T. G. Fang, O. L. Montenegro, and R. E. Bodmer, eds., *Manejo y conservación de fauna silvestre en América Latina*, pp. 109–116. La Paz: Instituto de Ecología.
- Noss, A. J. and R. L. Cuéllar. 2001. Community attitudes towards wildlife management in the Bolivian Chaco. *Oryx* 35:292–300.
- Noss, A. J., R. L. Cuéllar, and J. Ayala. In press. Drive counts for grey brocket deer in the Bolivian Chaco. *Mammalia*.
- Novaro, A. J. 1997. *Source-Sink Dynamics Induced by Hunting: Case Study of Culpeo Foxes on Rangelands in Patagonia, Argentina*. Ph.D. dissertation. Gainesville: University of Florida.
- Novaro, A. J., K. H. Redford, and R. Bodmer. 2000. Effect of hunting in source-sink systems in the Neotropics. *Conservation Biology* 14:713–721.
- Novoa, D. 1989. The multispecies fisheries of the Orinoco River: Development, present status, and management strategies. In D. P. Dodge, ed., *Proceeding of the International Large River Symposium*, pp. 422–428. Canadian Special Publication of Fisheries and Aquatic Sciences No.106. Ottawa: Department of Fisheries and Oceans.
- NRC (National Research Council). 1991. *Microlivestock: Little-Known Small Animals with a Promising Economic Future*. Washington, D.C.: National Academic Press.
- Nugent, S. 1993. *Amazonian Caboclo Society: An Essay on Invisibility and Peasant Economy*. Providence: Berg.
- Nunes, A. P. 1992. *Uso do habitat, comportamento alimentar e organização social de Atelés belzebuth belzebuth (Primates: Cebidae)*. M.S. thesis. Belém, Brazil: Universidade Federal do Pará.
- OCEI, 1993. *El censo 90 en Cojedes*. Caracas: Oficina Central de Estadística e Informática.
- Odum, E. P. and E. J. Kuenzler. 1955. Measurement of territory and home range size in birds. *Auk* 72:128–137.
- Ojasti, J. 1971. La tortuga arrau del Orinoco. *Defensa de la Naturaleza* 2:3–9.
- Ojasti, J. 1973. *Estudio biológico del chiguáre o capibara*. Caracas: Fondo Nacional de Investigaciones Agropecuarias.
- Ojasti, J. 1991. Human exploitation of Capybara. In J. Robinson and K. Redford, eds., *Neotropical Wildlife Use and Conservation*, pp. 236–252. Chicago: University of Chicago Press.
- Ojasti, J. 1993. *Utilización de la fauna silvestre en América Latina: Situación y perspectivas para un manejo sostenible*. Guía FAO Conservación 25. Rome: FAO.
- Ojasti, J. and F. Dallmeier. 2000. *Manejo de fauna silvestre Neotropical*. Washington, D.C.: Smithsonian Institution/Man and Biosphere Program.
- Ouhoud-Renoux, F. 1998. *De l'outil à la prédatation. Technologie culturelle et ethno-écologie chez les Wayapi du haut Oyapock (Guyane Française)*. Ph.D. dissertation. Paris: Université Paris X.
- Overton, S. 1971. Estimating the numbers of animals in wildlife populations. In R. H. Giles, ed., *Wildlife Management Techniques*, pp. 403–455. Washington, D.C.: Wildlife Society.




[434] Bibliography

- Owen-Smith, N. 1989. Morphological factors and their consequences for resource partitioning among African savanna ungulates: A simulation modelling approach. In D. W. Morris, Z. Abramsky, B. J. Fox, and M. R. Willig, eds., *Patterns in the Structure of Mammalian Communities*, pp 155–165. Lubbock, Tex.: Texas Tech University Press.
- Owen-Smith, R. N. 1988. *Megaherbivores: The Influence of Very Large Body Size on Ecology*. Cambridge: Cambridge University Press.
- Pacheco, T. 1983. *Efectos positivos y negativos de la veda de caza de 1973 en la Amazonia Peruana*. Lima: Universidad Nacional Agraria La Molina.
- Packard, J. M., K. J. Babbitt, P. G. Hannon, and W. E. Grant. 1990. Infanticide in captive collared peccaries (*Tayassu tajacu*). *Zoo Biology* 9:49–53.
- Padoch C. 1988. People of the floodplain and forest. In J. Denslow, and C. Padoch, eds., *People of the Tropical Forest*, pp. 127–141. Berkeley: University of California Press.
- Pádua, C. V. 1993. *The Ecology, Behavior, and Conservation of the Black-Lion Tamarin* (Leontopithecus chrysopygus, Mikan, 1823). Ph.D. dissertation. Gainesville: University of Florida.
- Padua, S. M. 1991. *Conservation Awareness Through an Environmental Education School Program at Morro do Diabo State Park, São Paulo State, Brazil*. M.S. thesis. Gainesville.: University of Florida.
- Padua, S. M. 1997. Uma pesquisa em educação ambiental: A conservação do mico-leão-preto *Leontopithecus chrysopygus*. In C. Valladares-Padua, R. E. Bodmer, and Cullen, Jr. L., eds., *Manejo e conservação de vida silvestre no Brasil*, pp. 34–51. Belém, Brazil: MCT-CNPq/Sociedade Civil Mamirauá.
- Painter, M. and A. Noss. 2000. La conservación de fauna con organizaciones comunales: Experiencia con el pueblo Izoceño en Bolivia. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 167–180. Asunción, Paraguay: CITES Paraguay, Fundación Moisés Bertoni, University of Florida.
- Painter, M., A. Noss, R. Wallace, and L. Painter. In press. El manejo comunitario de fauna en Bolivia: Criterios de sostenibilidad. In *Memorias del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de sostenibilidad*. Bogotá: Fundación Natura.
- Palmatary, H. C. 1939. *The Archaeology of the Lower Tapajós Valley, Brazil*. Philadelphia: American Philosophical Society.
- Pantoja, E. R. 2000. *Operação Mamirauá*. Unpublished internal report. Tefé, Brazil: Instituto de Desenvolvimento Sustentável Mamirauá.
- Parada, E. and J. Guerrero. 2000. Encuestas sobre el consumo de carne de monte y carne doméstica en las comunidades Izoceñas. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 499–506. Asunción, Paraguay: CITES Paraguay, Fundación Moisés Bertoni, University of Florida.
- Parada, E. and R. Villaruel. 2001. Estudio de salud de los animales silvestres. In W. R. Townsend, K. Rivero, C. Peña, and K. Linzer, eds. *Memorias del primer encuentro nacional de manejo de fauna en los Territorios Indígenas de Bolivia*, pp. 21–24. Santa Cruz, Bolivia: CIDOB.
- Parnell, J. F., D. G. Ainley, H. Blokpoel, B. Cain, T. W. Custer, J. L. Dusi, S. Kress, J. A. Kushlan, W. E. Southern, L. E. Stenzel, and B. C. Thompson. 1988. Colonial waterbird management in North America. *Colonial Waterbirds* 11:129–169.
- Parra, R. 1978. Comparison of foregut and hindgut fermentation in herbivores. In G. G. Montgomery, ed., *The Ecology of Arboreal Folivores*, pp 205–230. Washington, D.C.: Smithsonian Institution Press.
- Parra, R., R. Escobar, and E. G. González-Jiménez. 1978. El chigüire, su potencial biológico y su cría en confinamiento. In *Informe anual IPA*, pp. 83–94. Maracay, Venezuela: Facultad de Agronomía, UCV.
- Payne, J. C. 1992. *A Field Study of Techniques for Estimating Densities of Duikers in Korup National Park, Cameroon*. M.S. thesis. Gainesville: University of Florida.
- Peres, C. 2000. Evaluating the impact and sustainability of subsistence hunting at multiple Amazonian forest sites. In J. Robinson and E. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp 31–56. New York: Columbia University Press.
- Peres, C. A. 1990. Effects of hunting on western Amazonian primate communities. *Biological Conservation* 54:47–59.
- Peres, C. A. 1994. Indigenous reserves and nature conservation in Amazonian forests. *Conservation Biology* 8:586–588.




Bibliography [435]

- Peres, C. A. 1997. Evaluating the sustainability of subsistence hunting in tropical forests. Working paper GEC 97-2. Norwich, U.K.: Centre for Social and Economical Research on the Global Environment (CSERGE), University of East Anglia.
- Peres, C. A. and J. W. Terborgh. 1995. Amazonian nature reserves: An analysis of the defensibility status of existing conservation units and design criteria for the future. *Conservation Biology* 9:34–46.
- Perez, B. F. J. and I. J. Gordon. 1999. The functional relationship between feeding type and jaw and cranial morphology in ungulates. *Oecologia* 118:157–165.
- Perez, B. F. J., I. J. Gordon, and C. Nores. 2001. Evolutionary transitions among feeding styles and habitats in ungulates. *Evolutionary Ecology Research* 3:221–230.
- Petrere, Jr., M. 1986. Variation in the relative abundance of *tambaqui* (*Colossoma macropomum* Cuvier, 1818) based on catch and effort data of the gill net fisheries. *Amazoniana* 9:527–547.
- Petrere, J. M. 1978a. Pesca e esforço de pesca no Estado do Amazonas. I. Esforço e captura por unidade de esforço. *Acta Amazonica* 8:439–454.
- Petrere, J. M. 1978b. Pesca e esforço de pesca no Estado do Amazonas. II. Locais, aparelhos de captura, e estatística de desembarque. *Acta Amazonica* 8(2/3):1–54.
- Petrere, M. J. 1983. Yield per recruitment of the tambaqui *Colossoma macropomum* Cuvier, in the Amazonas state. Brazil. *J. Fish. Biol.* 22:133–144.
- Petrullo, V. 1939. The Yaruros of the Capanaparo river, Venezuela. *Smithsonian Institution Bulletin* (Bureau of American Ethnology) 123:167–289.
- Pierret, P. V. and M. J. Dourousseau. 1967. Importancia de la caza para la alimentación humana en el curso inferior del río Ucayali, Perú. *Revista Forestal del Perú* 1:10–21.
- Pimm, S., M. Ayres, A. Balmford, G. Branch, K. Brandon, T. Brooks, R. Bustamante, R. Costanza, R. Cowling, L. M. Curran, A. Dobson, S. Farber, G. A. B. da Fonseca, C. Gascon, R. Kitching, J. McNeely, T. Lovejoy, R. A. Mittermeier, N. Myers, J. A. Patz, B. Raffle, D. Rapport, P. Raven, C. Roberts, J. P. Rodríguez, A. B. Rylands, C. Tucker, C. Safina, C. Samper, M. L. Stiassny, J. Supriatna, D. H. Wall, and D. Wilcove. 2001. Can we defy nature's end? *Science* 293:2207–2208.
- Pinder, L. 1997. *Niche Overlap Among Brown Brocket Deer, Pampas Deer, and Cattle in the Pantanal of Brazil*. Ph.D. dissertation. Gainesville: University of Florida.
- Pinder, L. and S. Rosso. (1998) Classification and ordination of plant formations in the Pantanal of Brazil. *Plant Ecology* 136(2):151–165.
- Pinedo-Vasquez, M. 1988. The river people of Maynas. In J. S. Denslow and C. Padoch, eds., *People of the Tropical Forest*, pp. 141–142. Berkeley: University of California Press.
- Pinto, M. N. 1994. *Cerrado: Caracterização, ocupação e perspectivas*. Brasília: Edunb.
- Pires, A. 1996. *Dispersão de sementes na várzea do Solimões: Amazonas*. M.S. thesis. Belém, Brazil: Universidade Federal do Pará.
- Plotkin, M. and L. Famolare. 1992. Sustainable Harvest and Marketing of Rain Forest Products. Washington, D.C.: Island Press.
- Polisar, J. 1995. River turtle reproductive demography and exploitation patterns in Belize: Implications for management. *Vida Silvestre Neotropical* 4:10–19.
- Polisar, J. 2000. *Jaguars, Pumas, Their Prey Base, and Cattle Ranching: Ecological Perspectives of a Management Issue*. Ph.D. dissertation. Gainesville: University of Florida.
- Ponce, M. 1979. *Podocnemis unifilis* Troschel 1848 “taricaya” (Chelonidae, Pleurodira, Pelomedusidae) en el Bosque Nacional “Alexander von Humboldt,” Loreto-Perú. Undergraduate thesis. Lima: Universidad Nacional Agraria.
- Por, F. D. 1995. *The Pantanal of Mato Grosso*. Dordrecht, Netherlands: Kluwer Academic.
- Porro, A. 1981. Os Omagua do alto Amazonas. Demografia e padrões de povoamento no século XVII: Contribuições a antropologia em homenagem ao professor Egon Schaden. Museu Paulista. Série *Ensaios da Universidade de São Paulo*. 4:207–231.
- Porro, A. 1983. Os Solimões ou Jurimaguas. Território, migrações e comércio intertribal. *Revista do Museu Paulista (new series)* 29(23–38).
- Posada, L. 1991. *Levantamientos de tipos de bosques y uso Actual del suelo del parque Nacional natural Utría y cuenca del río Valle, Departamento del Chocó*. Bogotá: Fundación Natura.
- Posey, D. A. 1985. Indigenous management of tropical forest ecosystems: The case of the Kayapó Indians of the Brazilian Amazon. *Agroforestry Systems* 3:139–158.
- Posey, D.A. and W. Baleé. 1989. *Resource Management in Amazonia: Indigenous and Folk Strategies*. *Advances in Economic Botany Vol. 7*. New York: New York Botanical Garden Press.




[436] Bibliography

- Poupard, J. P., A. Simão, A. T. Quintão, E. R. Porto, and E. M. Comastri. 1981. *Plano de manejo do Parque Nacional do Iguaçu*. Brasilia: IBDF-DN.
- France, G.T. 1979. Notes on the vegetation of Amazonia. III. The terminology of Amazonian forest types subject to inundation. *Brittonia* 31:26–38.
- Pratt, M.L. 1992. *Imperial Eyes: Travel Writing and Transculturation*. London: Routledge.
- Prescott-Allen, R. 1996. *Assessing the Sustainability of Uses of Wild Species: Case Studies and Initial Assessment Procedure*. Gland, Switzerland: IUCN.
- Primack, R. 1993. *Essentials of Conservation Biology*. Sunderland, Mass.: Sinauer.
- Pritchard, P. C. H. and P. Trebbau. 1984. *The Turtles of Venezuela*. Society for the Study of Amphibians and Reptiles, Contrib. Herpetol., No. 2. Ann Arbor, Mich.
- Puertas, P. and R. E. Bodmer. 1993. Conservation of a High Diversity Primate Assemblage. *Biodiversity and Conservation* 2:586–593.
- Puertas, P. E. 1998. *Hunting Effort Analysis in Northeastern Peru: The Case of the Reserva Comunal Tamshiyacu-Tahuayo*. M.S. thesis. Gainesville: University of Florida.
- Puig, S., F. Videla, M. I. Cona, and S. A. Monge. 2001. Use of food availability by guanacos (*Lama guanicoe*) and livestock in Northern Patagonia (Mendoza, Argentina). *Journal of Arid Environments* 47:291–308.
- Pulliam, H. R. 1988. Sources, sinks, and population regulation. *American Naturalist* 132:652–661.
- Pulliam, H. R. 1996. Sources and sinks: Empirical evidence and population consequences. In O. E. Rhodes, R. K. Chesser, and M. H. Smith, eds., *Population Dynamics in Ecological Space and Time*, pp. 45–69. Chicago: University of Chicago Press.
- Pulliam, H. R. and B. J. Danielson. 1991. Sources, sinks, and habitat selection: A landscape perspective on population dynamics. *American Naturalist* 137:50–56.
- Putman, R. J. 1996. *Competition and Resource Partitioning in Temperate Ungulate Assemblies*. London: Chapman and Hall.
- Pyrah, D. 1984. Social distribution and population estimates of coyotes in north central Montana. *Journal of Wildlife Management* 48:679–690.
- Queiroz, H. L. 1999. A pesca, as pescarias e os pescadores de Mamirauá. In H. Queiroz and W. G. R. Crampton, eds., *Estratégias para manejo de recursos pesqueiros em Mamirauá*. Brasília: SCM-CNPq.
- Queiroz, H. L. and W. G. R. Crampton, eds. 1999a. *Estratégias para manejo de recursos pesqueiros em Mamirauá: Estudos do Mamirauá*. Brasília: Sociedade Civil Mamirauá/CNPq.
- Queiroz, H. L. and W. G. R. Crampton. 1999b. O manejo integrado dos recursos pesqueiros em Mamirauá. In H. Queiroz and W.G. R Crampton, eds., *Estratégias para manejo de recursos pesqueiros em Mamirauá*, pp. 177–191. Brasília: SCM-CNPq.
- Queiroz, H. L. and A. D. Sardinha. 1999. A preservação e o uso sustentado dos pirarucus (*Arapaima gigas*, Osteoglossidae) em Mamirauá. In H. L. Queiroz and W. G. R. Crampton, eds., *Estratégias de manejo para recursos pesqueiros na Reserva de Desenvolvimento Sustentável Mamirauá*, pp. 108–141. Brasília: MCT-CNPq/Sociedade Civil Mamirauá.
- Quigley, H. B. and Crawshaw, P. G., Jr. 1992. A conservation plan for the jaguar *Panthera onca* in the Pantanal region of Brazil. *Biol. Conserv.* 61:149–157.
- Quintela, C. E. 1990. An SOS for Brazil's beleaguered Atlantic Forest. *Nat. Cons. Mag.* 40:14–19.
- Rabinowitz, A. 1993. *Wildlife Field Research and Conservation Training Manual*. New York: Paul-Art Press.
- Rabinowitz, A. R. and B. G. Nottingham. 1986. Ecology and behaviour of the jaguar (*Panthera onca*) in Belize, Central America. *J. Zool. London* 210:149–159.
- Ralls, K. and J. Ballou. 1983. Extinctions: Lessons from zoos. In C. M. Schonewald-Cox, S. M. Chambers, B. MacBryde, and L. Thomas, eds., *Genetics and Conservation: A Reference for Managing Wild Animal and Plant Populations*, pp. 164–184. Menlo Park, Calif.: Benjamin/Cummings.
- Ralls, K., P. H. Harvey, and A. M. Lyles. 1986. Inbreeding in natural populations of birds and mammals. In M. E. Soulé, ed., *Conservation Biology: The Science of Scarcity and Diversity*, pp. 35–56. Sunderland, Mass.: Sinauer.
- Ramo, C. and B. Bustos. 1986. Censo aéreo de caimanes (*Crocodylus intermedius*) en el río Tucupido (Portuguesa, Venezuela) con observaciones sobre su actividad de soleamiento. In J. P. Ross, ed., *Crocodiles: Proceedings of the Seventh Working Meeting of Crocodile Specialist Group*, pp. 109–119. Gland, Switzerland: IUCN.
- Ramos, A. R. 1998. *Indigenism: Ethnic Politics in Brazil*. Madison: University of Wisconsin Press.




Bibliography [437]

- Rebêlo, C. H. 1985. A situação dos quelônios aquáticos do Amazonas, comércio e conservação. Unpublished internal report. Amazonas: Instituto Brasileiro de Desenvolvimento Florestal (IBDF)/AM Pólamazonia.
- Rebêlo, G. H. and L. Lugli. 1996. The conservation of freshwater turtles and the dwellers of the Amazonian Jaú National Park (Brazil). In S. K. Jain, ed., *Ethnobiology in Human Welfare*, pp. 253–258. New Delhi: Deep.
- Rebêlo, G. H., G. Moreira, L. Lugli, L. Marajó, J. C. Raposo, A. L. Queiroz, R. F. Cruz, and C. Reimann. 1996. Os quelônios do Parque Nacional do Jaú (AM). Unpublished technical report. Manaus, Brazil: Fundação Vitória Amazônica.
- Redford, K. H. 1983. *Mammalian Myrmecophagy: Feeding, Foraging and Food Preference*. Cambridge, Mass.: Harvard University.
- Redford, K. H. and J. F. Eisenberg 1992. *Mammals of the Neotropics*. Vol. 2. Chicago: University of Chicago Press.
- Redford, K. H. and J. A. Mansour. 1996. *Traditional Peoples and Biodiversity Conservation in Large Tropical Landscapes*. Arlington, Va.: America Verde.
- Redford, K. H. and J. G. Robinson. 1991. Subsistence and commercial uses of wildlife in Latin America. In J. G. Robinson and K. H. Redford, eds., *Neotropical Wildlife Use and Conservation*, pp. 6–23. Chicago: University of Chicago Press.
- Redford, K. H. and A. M. Stearman. 1993. Forest-dwelling native Amazonians and the conservation of biodiversity: Interests in common or in collision? *Conservation Biology* 7:248–255.
- Redford, K. H., A. Taber, and J. A. Simonetti. 1990. There is more to biodiversity than the tropical rain forests. *Conservation Biology* 4:328–330.
- Regier, H. and H. Henderson. 1973. Towards a broad ecological model of fish communities and fisheries. *Transactions of the American Fishery Society* 12:56–72.
- Reid, F. A. 1997. *A Field Guide to the Mammals of Central America and Southeast Mexico*. New York: Oxford University Press.
- Reis, M. and P. Souza. 2000. *Monitoramento da proteção da RDMS: Relatório preliminar*. Unpublished internal report. Tefé, Brazil: Instituto de Desenvolvimento Sustentável Mamirauá.
- Renkonen, O. 1938. Statisch-ökologische Untersuchungen über die terrestrische kaferwelt der finnischen bruchmoore. *Ann. Zool. Soc. Bot. Fenn. Vanamo* 6:1–231.
- Ribeiro, M. C. and M. Petrere. 1990. Fisheries ecology and management of the jaraqui (*Semaprochilodus taeniurus* and *Semaprochilodus insignis*) in Central Amazonia. *Regulated Rivers: Research and Management* 5:195–215.
- Ribeiro, M. C., M. Petrere, and A. F. Juras. 1995. Ecological integrity and fisheries ecology on the Araguaia-Tocantins river basin, Brazil. *Regulated Rivers: Research and Management* 10:31–45.
- Ricardo C.A. 1996. *Povos indígenas no Brasil: 1991–1995*. São Paulo: Instituto Socioambiental.
- Richard-Hansen, C. 1998. *La gestion de la faune en Amazonie. Synthèse bibliographique*. Report. Diren/Region Guyane/FEDER: Silvolab.
- Richard-Hansen, C. and Hansen, E. 1998. Gestion de la chasse en forêt tropicale Amazonienne. *JATBA, Revue d'Ethnobiologie* 40:541–558.
- Richard-Hansen, C., J. C. Vié, and B. de Thoisy. 2000. Translocation of red howler monkeys (*Alouatta seniculus*) in French Guiana. *Biological Conservation* 93:247–253.
- Ricker, W. E. 1975. Computation and interpretation of biological statistics of fish populations. *Bulletin of Fishery Research Board Canada*. 191:382 .
- Ricklefs, R. E. and M. Lau. 1980. Bias and dispersion of overlap indices: Results of some Monte Carlo simulations. *Ecology* 61:1019–1024.
- Riester, J. 1984. *Textos sagrados de los Guaraníes en Bolivia: una cacería en el Izozog*. La Paz: Los Amigos del Libro.
- Riney, T. 1982. *Study and Management of Large Mammals*. New York: Wiley.
- Ríos, M. A., M. J. Dourojeanni, and A. Tovar. 1973. La fauna y su aprovechamiento en Jenaro Herrera (Requena, Perú). *Revista Forestal del Perú* 5:73–92.
- Robinson, J. G. 1996. Hunting wildlife in forest patches: An ephemeral resource. In J. Schellas and R. Greenberg, eds., *Forest Patches in Tropical Landscapes*, pp. 111–130. Washington, D.C.: Island Press.
- Robinson, J. G. 2000. Calculating maximum sustainable harvests and percentage offtakes. In J. Robinson and E. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 521–524. New York: Columbia University Press.




[438] Bibliography

- Robinson, J. G. and E. L. Bennet. 2000a. Hunting for sustainability: The start of a synthesis. In J. G. Robinson and E. L. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 499–520. New York: Columbia University Press.
- Robinson, J. G. and E. L. Bennet, eds. 2000b. *Hunting for Sustainability in Tropical Forests*. New York: Columbia University Press.
- Robinson, J. G., and E. L. Bennett. 2000c. Carrying capacity limits to sustainable hunting in tropical forests. In J. G. Robinson and E. L. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 13–30. New York: Columbia University Press.
- Robinson, J. G. and R. Bodmer 1999. Towards wildlife management in tropical forests. *Journal of Wildlife Management* 63:1–13.
- Robinson, J. G. and C. H. Janson. 1987. Capuchins, squirrel monkeys, and atelines: Socioecological convergence with old world primates. In B. B. Smuts, D. L. Cheney, S. M. Seyfarth, R. W. Wrangham, and T. T. Struhsaker, eds., *Primate Societies*. Chicago: University of Chicago Press.
- Robinson, J. G. and J. C. Ramirez. 1982. Conservation biology of neotropical primates. In M. A. Mares and H. M. Genoways, eds., *Mammalian Biology in South America*. Pymatuning Laboratory of Ecology Special Publication No. 6. Linnesville, Pa.: University of Pittsburg Press.
- Robinson, J. G. and K. Redford 1991. Sustainable harvest of Neotropical forest mammals. In J. Robinson and K. Redford, eds., *Neotropical Wildlife Use and Conservation*, pp. 415–429. Chicago: University of Chicago Press.
- Robinson, J. G. and K. Redford 1994. Measuring the sustainability of hunting in tropical forests. *Oryx* 28:249–256.
- Robinson, J. G. and K. H. Redford. 1986a. Body size, diet, and population density of Neotropical forest mammals. *American Naturalist* 128:665–680.
- Robinson, J. G. and K. H. Redford. 1986b. Intrinsic rate of natural increase in Neotropical forest mammals: Relationship to phylogeny and diet. *Oecologia* 68:516–520.
- Robinson, J. G. and K. H. Redford. 1989. Body size, diet, and population variation in Neotropical forest mammal species: Predictors of local extinctions? In K. H. Redford and J. F. Eisenberg, eds., *Advances in Neotropical Mammalogy*. Gainesville, Fla.: Sandhill Crane Press.
- Robinson, J. G., P. C. Wright, and W. G. Kinzey. 1987. Monogamous cebids and their relatives: Inter-group calls and spacing. In B. B. Smuts, D. L. Cheney, S. M. Seyfarth, R. W. Wrangham, and T. T. Struhsaker, eds., *Primate Societies*. Chicago: University of Chicago Press.
- Robinson, S. K. 1985. Coloniality in the yellow-rumped cacique as a defence against nest predators. *Auk* 102:506–519.
- Rodríguez, F., M. Rodríguez, and P. G. Vásquez. 1995. *Realidad y perspectivas: La Reserva Nacional Pacaya-Samiria*. Lima: Proyecto Pacaya-Samiria. ProNaturaleza/TNC/USAID.
- Rodríguez, J. P. and F. Rojas. 1995. *Libro rojo de la fauna Venezolana*. Caracas: PROVITA, Fundación Polar.
- Rojas, C. R. 2001. *Reproducción de Dasypus novemcinctus en el Izozog, Santa Cruz, Bolivia*. Undergraduate thesis. Santa Cruz, Bolivia: UAGRM.
- Roosevelt, A. C. 1987. Chiefdoms in the Amazon and Orinoco. In R. D. Drennan and C. A. Uribe, eds., *Chiefdoms in the Americas*, pp. 153–184. Lanham, Md.: University Press of America.
- Roosevelt, A. C. 1991. *Moundbuilders of the Amazon: Geophysical archaeology on Marajó Island, Brazil*. San Diego: Academic Press.
- Roosevelt, A. C. 1999. Twelve thousand years of human-environment interaction in the Amazon Floodplain. In C. Padoch, J. M. Ayres, M. Pinedo-Vasquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 371–392. New York: New York Botanical Garden Press.
- Roosevelt, A. C., M. L. Costa, L. Lopes, M. Michab, N. Mercier, H. Valladas, J. Feathers, W. Barnett, M. I. da Silveira, A. Henderson, J. Silva, B. Chernoff, D. S. Resse, J. A. Holman, A. N. Toth, and K. Schick. 1996. Paleoindian cave dwellers in the Amazon: The peopling of the Americas. *Science* 272:373–384.
- Roosevelt, A. C., R. A. Housley, M. I. da Silveira, S. Maranoca, and R. Johnson. 1991. Eighth millennium pottery from a prehistoric shell midden in the Brazilian Amazon. *Science* 254:1621–1624.
- Ross, E. B. 1978. Food taboos, diet, and hunting strategy: The adaptation to animals in Amazon cultural ecology. *Current Anthropology* 19:1–36.



Bibliography [439]

- Ross, J. P., ed. 1998. *Crocodiles. Status Survey and Conservation Action Plan.* 2d ed. IUCN/SSC Crocodile Specialist Group. Gland, Switzerland: IUCN.
- Routledge, R. D. and D. A. Fyfe. 1992. Confidence limits for line transect estimates based on shape restrictions. *Journal of Wildlife Management* 56:402–407.
- Rubio-Torgler, H. 1992. *Evaluación de demanda de fauna con comunidades indígenas Embera en el P.N.N. Utria (Chocó, Colombia).* Report. Bogotá: Fundación Natura/Wildlife Conservation Society/Conservation Food and Health.
- Rubio-Torgler, H. 1997. Estrategias para el manejo de especies de caza en el área de influencia del parque nacional natural Utria. In T. G. Fang, R. E. Bodmer, R. Aquino, and M. H. Valqui, eds., *Manejo de fauna silvestre en la Amazonía*, pp. 135–144. La Paz: Editorial Instituto de Ecología.
- Rubio-Torgler, H., A. Ulloa, and C. Campos-Rozo. 2000. *Manejo de fauna: Una construcción con lo local: Métodos y herramientas.* Bogotá: Fundación Natura, Ministerio del Medio Ambiente, Organización de Estados Iberoamericanos, OREWA, Instituto Colombiano de Antropología.
- Rubio-Torgler, H., A. Ulloa, M. Rubio, and indigenous Embera communities. 1998. *Tras las huellas de los animales.* Bogotá: Fundación Natura, OREWA, MMA, Instituto Colombiano de Antropología (ICAN).
- Ruffino, M. L. 1999. Fisheries development in the lower Amazon river. In C. Padoch, J. M. Ayres, M. Pinedo-Vásquez, and A. Henderson, eds., *Várzea: Diversity, Conservation, and Development of Amazonia's Whitewater Floodplains*, pp. 101–111. New York: New York Botanical Garden Press.
- Ruffino, M. L. and V. J. Isaac. 1994. The fisheries of the lower Amazon: Questions of management and development. *Acta Biol. Venez.* 15:37–46.
- Ruffino, M. L. and V. J. Isaac. 2000. A pesca artesanal no Médio Solimões. In *Recursos pesqueiros do médio Solimões: Biologia e estatística pesqueira.* Série Estudos de Pesca No. 22. Brasília: IBAMA.
- Ruffino, M. L., V. J. Isaac, and A. Milstein. 1998. Fisheries ecology in the lower Amazon: A typical artisanal practice in the tropics. *Ecotropica* 4:99–114.
- Ruffino, M. L., S. Q. da Silva, and A. C. Castro. 1998. *Relatório: Desembarque pesqueiro em Santarém: Informe Estatístico (1994–1997).* Unpublished internal report. Santarém, Brazil: IBAMA Projeto Iara/Gopa/GTZ.
- Rylands, A. B. and A. Keuroghlian. 1988. Primate populations in continuous forest and forest fragments in Central Amazonia. *Acta Amazonica* 18:291–307.
- Rylands, A. B., and D. S. Faria. 1993. Habitats, feeding ecology, and home range size in the genus *Callicebus*. In A. B. Rylands, ed., *Marmosets and Tamarins: Systematics, Behaviour, and Ecology*. Oxford: Oxford University Press.
- Saavedra, A. M. 2000. *Uso de aves por comunidades indígenas del Izozog.* Undergraduate thesis. Santa Cruz, Bolivia: UAGRM.
- Sahley, C.T. 2000. Poblaciones de vicuñas en vías de recuperación: Un análisis de alternativas para su manejo. In B. Gonzalez, F. Bas, C. Tala, and A. Iriarte, eds., *Manejo sustentable de la vicuña y el guanaco*, pp.103–108. Santiago, Chile: Pontificia Universidad Católica de Chile.
- Saint-Paul, U., J. Zuanon, M. A. V. Correa, M. Garcia, N. N. Fabre, U. Berger, and W. J. Junk. 2000. Fish communities in central Amazonian white- and blackwater floodplains. *Environmental Biology of Fishes* 57:235–250.
- Sall, J. and A. Lehman. 1996. *JMP Start Statistics: A Guide to Statistical and Data Analysis Using JMP and JMP in Software.* Belmont, Calif.: Duxbury Press.
- Salvatierra C., A., E. Barba P., J. D. Salvatierra M., and W. R. Townsend. 2001. *Manejo de lagarto: Recuento de Caiman yacare en la TCO Itonama.* Publicaciones Proyecto de Investigación CIDOB-DFID No. 18. Santa Cruz, Bolivia: CIDOB.
- Sanchez, E. 1984. Sobre población y necesidad de extracción de vicuñas en Pampa Galeras. In F. Villegier, ed., *La vicuña*. Lima: Editorial Los Pinos.
- Sanderson, E. W., K. H. Redford, C. B. Chetkiewicz, R. A. Medellín, A. R. Rabinowitz, J. G. Robinson, and A. B. Taber. 2002. Planning to save a species: The jaguar as a model. *Conservation Biology* 16:58–72.
- Santos, P. 1996. *Uso e plano de gestão da fauna silvestre numa área de Várzea Amazônica: A Estação Ecológica Mamirauá (Amazonas, Brasil).* M.S. thesis. Lisbon: University of Lisbon Faculty of Sciences.
- Santos, R. V., N. M. Flowers, C. E. A. Coimbra, Jr., and S. A. Gugelmin. 1997. Tapirs, tractors, and




[440] Bibliography

- tapes: The changing economy and ecology of the Xavante Indians of central Brazil. *Human Ecology* 25:545–566.
- Schaller, G. B. and P. Crawshaw. 1981: Social organization in a capybara population. *Säugetierk Mitt* 29:3–16.
- Schemitz E.D. 1980. *Wildlife Management Techniques Manual*. 4th ed. Bethesda, Md.: Wildlife Society.
- Schmidt, G. W. 1973a. Primary production of phytoplankton in the three types of Amazonian waters. II. The limnology of a tropical floodplain lake in Central Amazonia (Lago do Castanho). *Amazoniana* 4:139–203.
- Schmidt, G. W. 1973b. Primary production of phytoplankton in the three types of Amazonian waters. III. Primary productivity of phytoplankton in a tropical floodplain lake of Central Amazonia, Lago do Castanho, Amazonas, Brazil. *Amazoniana* 4:379–404.
- Schmidt, G. W. 1976. Primary production of phytoplankton in the three types of Amazonian waters. IV. On the primary productivity of phytoplankton in a bay of the lower Rio Negro (Amazonas, Brazil). *Amazoniana* 5:517–528.
- Schroder, G. D. and M. L. Rosenzweig. 1975. Perturbation analysis of competition and overlap in habitat utilization between *Dipodomys ordii* and *Dipodomys merriami*. *Oecologia* 19:9–28.
- Schwartz, C. 2000. Até onde a Amazônia pode resistir. *Revista Veja* 33(47):66–72.
- SCM. 1996. *Mamirauá Management Plan*. Brasília: MCT-CNPq/Sociedade Civil Mamirauá.
- Seijas, A. E. 1998. *The Orinoco Crocodile (Crocodylus intermedius) in the Cojedes River System, Venezuela: Population Status and Ecological Characteristics*. Ph.D. dissertation. Gainesville: University of Florida.
- Seijas, A. E. and C. Chávez. 2000. Population status of the Orinoco crocodile (*Crocodylus intermedius*) in the Cojedes River System, Venezuela. *Biological Conservation* 94:353–361.
- Setzer, J., 1949. *Os solos do Estado de São Paulo*, 1st ed. Rio de Janeiro: Conselho Nacional de Geografia.
- Shaw, J. H. 1991. The outlook for sustainable harvests in Latin America. In J. G. Robinson and K. H. Redford, eds., *Neotropical Wildlife use and Conservation*, pp. 24–34. Chicago: University of Chicago Press.
- Shields, W. M. 1987. Dispersal and mating systems: Investigating their causal connections. In B. D. Chepko-Sade and Z. T. Halpin, eds., *Mammalian Dispersal Patterns*, pp. 3–24. Chicago: University of Chicago Press.
- Shively, C. L.; Whiting, F. M.; Swingle, R. S.; Brown, W. H., and Solws, L. K. 1984. Some aspects of the nutritional biology of the CP. *Journal of Wildlife Management*, 49:729–732.
- Shrimpton, R. and R. Giugliano. 1979. Consumo de alimentos e alguns nutrientes em Manaus, Amazônas 1973–1974. *Acta Amazonica* 9:117–141.
- Silva, J. L. and S. D. Strahl. 1991. Human impact on populations of chachalacas, guans, and curassows (Galliformes: Cracidae) in Venezuela. In J. G. Robinson and K. H. Redford, eds., *Neotropical Wildlife Use and Conservation*, pp. 37–52. Chicago: University of Chicago Press.
- Silva-Neto, P. B. 1989. *Alimentação e manejo de capivaras (Hydrochoerus hydrochaeris hydrochaeris L. 1766) em cativeiro*. M.S. thesis. São Paulo: Escola Superior de Agricultura “Luiz de Queiroz.”
- Slade, N. A., R. Gomulkiewicz, and H. M. Alexander. 1998. Alternatives to Robinson and Redford's method of assessing overharvest from incomplete demographic data. *Conservation Biology* 12:148–155.
- Slough, B. G. and G. Mowat. 1996. Lynx population dynamics in an untrapped refugium. *Journal of Wildlife Management* 60:946–961.
- Smith, J. N. M., P. R. Grant, B. R. Grant, I. Abbott, and L. K. Abbott. 1978. Seasonal variation in feeding habits of Darwin's finches. *Ecology* 59:1137–1150.
- Smith, N. J. H. 1979a. Aquatic turtles of Amazonia: An endangered resource. *Biological Conservation* 16:165–176.
- Smith, N. J. H. 1979b. *A pesca no Rio Amazonas*. Manaus, Brazil: INPA.
- Smith, N. J. H. 1980. Antrosols and the human carrying capacity in Amazonia. *Annals of the American Association of Geographers* 70:533–566.
- Smith, N. J. H. 1981. *Man, Fishes and the Amazon*. New York: Columbia University Press.
- Smith, N. J. H. 1996. The Enchanted Amazon Rain forest. Gainesville: University Press of Florida.
- Smith, N. J. H. 1999. *The Amazon River Forest: A Natural History of Plants, Animals, and People*. New York: Oxford University Press.


Bibliography [441]

- Snyder, N. F. R., F. C. James, and S. R. Beissinger. 1992. Toward a conservation strategy for neotropical psittacines. In S. R. Beissinger and N. F. R. Snyder, eds., *New World Parrots in Crisis: Solutions from Conservation Biology*, pp. 257–276. Washington, D.C.: Smithsonian Institution Press.
- Sociedad Nacional de la Vicuña, 2000. Unpublished conference proceedings.
- Soini, P. 1995. Características climáticas: Un resumen de cinco años de registros de la temperatura, pluviosidad y fluviometría en Cahuana, Río Pacaya. Informe de Pacaya No. 1. In P. Soini, A. Tovar, and U. Valdez, eds., *Reporte Pacaya-Samiria: Investigaciones en Cahuana: 1980–1994*, pp. 207–209. Lima: Centro de Datos para la Conservación, Universidad Nacional Agraria La Molina.
- Soini, P. 1997. *Biología y manejo de la tortuga Podocnemis expansa (Testudines, Pelomedusidae)*. Caracas: Tratado de Cooperación Amazónica, SPT-TCA.
- Soini, P. and M. Coppula. 1995. Estudio, reproducción y manejo de los quelonios del género *Podocnemis* (charapa, cupiso y taricaya) en la cuenca del Pacaya, río Pacaya, Loreto-Perú. Reporte No. 2. In Soini, P., A. Tovar, and U. Valdez, eds., *Reporte Pacaya-Samiria: Investigaciones en Cahuana: 1980–1994*, pp. 3–30. Lima: Centro de Datos para la Conservación, Universidad Nacional Agraria La Molina.
- Soini, P., L. A. Sicchar, G. Gil, A. Fachín, R. Pezo, and M. Chumbe. 1996. *Una evaluación de la fauna silvestre y su aprovechamiento de la Reserva Nacional Pacaya-Samiria, Perú*. Documento Técnico no. 24. Iquitos, Perú: Instituto de Investigaciones de la Amazonía Peruana.
- Soini, P. and M. Soini. 1995. Un resumen comparativo de la ecología reproductiva de los quelonios acuáticos. Informe No. 19. In P. Soini, A. Tovar, and U. Valdez, eds., *Reporte Pacaya-Samiria: Investigaciones en Cahuana: 1980–1994*, pp. 215–226. Lima: Centro de Datos para la Conservación, Universidad Nacional Agraria La Molina.
- Sokal, R. R. and F. J. Rohlf. 1969. *Biometry*. San Francisco: Freeman Press.
- Sokal, R. R. and F. J. Rohlf. 1995. *Biometry*. 3rd ed. New York: W.H. Freeman.
- Soria, F. and E. Cuéllar. In press. Radiotelemetría de la tortuga negra *Chelonia mydas carbonaria* en el Chaco seco, Santa Cruz, Bolivia. In *Memorias del V congreso internacional de manejo de fauna silvestre en Amazonía y Latinoamérica: Criterios de sostenibilidad*. Bogotá: Fundación Natura.
- Soria, F., F. Mendoza, and J. Ayala. 2001. Radio-telemetría de petas (*Chelonia mydas carbonaria*) y pení (*Tupinambis rufescens*) en el campamento Cerro Cortado, Izozog, Santa Cruz, Bolivia. In W. R. Townsend, K. Rivero, C. Peña, and K. Linzer, eds., *Memorias del primer encuentro nacional de manejo de fauna en los Territorios Indígenas de Bolivia*, pp. 47–50. Santa Cruz, Bolivia: CIDOB.
- SOS Mata Atlântica and INPE. 1993. *Evolução dos remanescentes Florestais e ecossistemas associados do domínio da Mata Atlântica*. São Paulo: SOS Mata Atlântica and Instituto de Pesquisas Espaciais.
- Soulé, M. E., 1987. *Viable Population for Conservation*. Cambridge: Cambridge University Press.
- Soulé, M. E. and B. A. Wilcox. 1980. *Conservation Biology: An Evolutionary-Ecological Perspective*. Sunderland, Mass.: Sinauer.
- Souza-Mazurek, R., T. Pedrinho, X. Feliciano, W. Hilario, S. Geroncio, and E. Marcelo. 2000. Subsistence hunting among the Waimiri-Atroari Indians in central Amazonia, Brazil. *Biodiversity and Conservation* 9:579–596.
- Sowls, L. K. 1984. *The Peccaries*. Tucson: University of Arizona Press.
- Sowls, L. K. 1997. *Javelinas and Other Peccaries: Their Biology, Management and Use*. College Station, Tex.: Texas A and M University Press.
- Sparks, D. R. and J. C. Malechek. 1968. Estimating percentage dry weight in diets using a microscope technique. *J. Range Manage.* 21:264–265.
- Spix, J. B. von and C. F. B. von Martius. 1822–1831. *Reise in Brasilien auf Befehl Sr. Majestät Maximilian Joseph I. Königs von Baiern in den Jahren 1817 bis 1820*. Munich: Lindauer.
- Srikosamatara, S., B. Siripholdej, and V. Suteethorn. 1992. Wildlife trade in Lao PDR and between Lao PDR and Thailand. *Natural History Bulletin of the Siam Society* 40:1–47.
- Stearman, A. M. 1990. The effects of settler incursion on fish and game resources of the Yuquí, a native Amazonian society of eastern Bolivia. *Human Organization* 49:371–385.
- Stearman, A. M. 1995. Neotropical foraging adaptations and the effects of acculturation on sustainable resource use: The Yuquí of lowland Bolivia. In L. E. Sponsel, ed., *Indigenous Peoples and the Future of Amazonia*, pp. 207–224. Tucson: University of Arizona Press.
- Stearman, A. M. 1999. Cambio social, cacería y conservación en pueblos indígenas: puntos de conflicto y caminos hacia la resolución. In T.G. Fang, O. L. Montenegro, and R. E. Bodmer, eds., *Manejo y conservación de fauna silvestre en América Latina*, pp. 41–50. La Paz: Instituto de Ecología.




[442] Bibliography

- Stearman, A. M. 2000. A pound of flesh: Social change and modernization as factors in hunting sustainability among neotropical indigenous societies. In J. G. Robinson and E. L. Bennet, eds., *Hunting for Sustainability in Tropical Forests*, pp. 233–250. New York: Columbia University Press.
- Stearman, A. M. and K. H. Redford. 1992. Commercial hunting by subsistence hunters: Sirionó Indians and Paraguayan caiman in lowland Bolivia. *Human Organization* 51:235–244.
- Stehli, F. G. and S. D. Webb. 1985. *The Great American Biotic Interchange*. New York: Plenum Press.
- Sternberg, H. O. R. 1995. Waters and wetlands of Brazilian Amazonia: An uncertain future. In T. Nishizawa and J. I. Uitto, eds., *The Fragile Tropics of Latin America: Sustainable Management of Changing Environments*. Tokyo: United Nations University Press.
- Steward, J. H. and L. C. Faron. 1959. *Native Peoples of South America*. New York: McGraw-Hill.
- Strahl, S. D. and J. L. Silva. 1997. Census methods for cracid populations. In S. D. Strahl, S. Beaujon, D. M. Brooks, A. J. Begazo, G. Sedaghatkish, and F. Olmos, eds., *The Cracidae: Their Biology and Conservation*, pp. 26–33. Blaine, Wash.: Hancock House.
- Strauss, R. E. 1979. Reliability estimates for Ivlev's selectivity index, the forage ratio, and proposed linear index of food selection. *Trans. Am. Fish. Soc.* 108:344–352.
- Strey, O. F. and Brown, R. D. 1989. In vivo and in vitro digestibilities for collared peccaries. *Journal of Wildlife Management* 53:607–612.
- Sttiwe, M. 1985. Manual for the Micro-Computer Program for Animal Locations: MCPALL. Washington, D.C.: National Zoo.
- Sunquist, M. E. 1992. The ecology of the ocelot: The importance of incorporating life history traits into conservation plans. In *Felinos de Venezuela: Biología, ecología y conservación*. Caracas: Fudeci.
- Sunquist, M. E., F. Sunquist, and D. E. Daneke. 1989. Ecological separation in a Venezuelan llanos carnivore community. In K. H. Redford and J. F. Eisenberg, eds., *Advances in Neotropical Mammalogy*, pp. 197–232. Gainesville, Fla.: Sandhill Crane Press.
- Swank, W. and J. Teer 1989. Status of the jaguar—1987. *Oryx* 23:14–21.
- Swanson, T. M. 1992. The role of wildlife utilization and other policies for diversity conservation. In T. M. Swanson and E. B. Barbier, eds., *Economics for the Wilds: Wildlife, Diversity, and Development*, pp. 65–102. Washington, D.C.: Island Press.
- Swanson, T. M. and E. B. Barbier, eds. 1992. *Economics for the Wilds: Wildlife, Diversity, and Development*. Washington, D.C.: Island Press.
- Sweitzer, R. A., B. J. Gonzalez, I. A. Gardner, D. Van Vuren, J. D. Waithman, and W. M. Boyce. 1997. A modified panel trap and immobilization technique for capturing multiple wild pig. *Wildlife Society Bulletin* 25:699–705.
- Swihart, R. K. and N. A. Slade. 1985. Testing for independence of observations in animal movements. *Ecology* 66:1176–1184.
- Taber, A. B. 1991. The status and conservation of the Chacoan peccary in Paraguay. *Oryx* 25:147–155.
- Taber, A. B., C. P. Doncaster, N. N. Neris, and F. H. Colman. 1993. Ranging behavior and population dynamics of the Chacoan peccary, *Catagonus wagneri*. *Journal of Mammalogy* 74:443–454.
- Taber, A. B., C. P. Doncaster, N. N. Neris, and F. H. Colman. 1994. Ranging behaviour and activity patterns of two sympatric peccaries, *Catagonus wagneri* and *Tayassu tajacu*, in the Paraguayan Chaco. *Mammalia* 58:61–71.
- Taber, A. B., A. J. Novaro, N. N. Neris, and F. H. Colman. 1997. The food habits of sympatric jaguar and puma in the Paraguayan Chaco. *Biotropica* 29:204–213.
- Taber, A. B., G. Navarro, and M. A. Arribas. 1997. A new park in the Bolivian Gran Chaco: An advance in tropical dry forest conservation and community-based management. *Oryx* 31:189–198.
- Taber, A. B. and W. L. R. Oliver. 1993. Review of priorities for the conservation action and future research on Neotropical peccaries. In W. L. R. Oliver, ed., *Peccaries and Hippos: Status, Survey, and Conservation Action Plan*, pp. 37–40. Gland, Switzerland: IUCN.
- Tablante-Garrido, P. N. 1961[1831]. *Provincia de Apure. Monografía del Gobernador General José Cornelio Muñoz*. Cuadernos Geográficos No. 1. Merida, Venezuela: Instituto de Geografía y de Conservación de Recursos Naturales, Universidad de Los Andes.
- Tello, S. 1993. Unpublished Trip Report. Iquitos, Peru: IIAP.
- Terborgh, J. 1983. *Five New World Primates: A Study in Comparative Ecology*. Princeton, N.J.: Princeton University Press.




Bibliography [443]

- Terborgh, J. 1988. The big things that run the world: A sequel to E. O. Wilson. *Conservation Biology* 2:402–403.
- Terborgh, J., L. H. Emmons, and C. Freese. 1986. La fauna silvestre de la Amazonía: El despilfarro de un recurso renovable. *Boletín de Lima* 46:77–85.
- Thomas, B. T. 1987. Philopatry of banded Maguari Storks and their decline in Venezuela. *Boletín de la Sociedad Venezolana de Ciencias Naturales* 41:137–157.
- Thomas, L., J. L. Laake, J. F. Derry, S. T. Buckland, D. L. Borchers, D. R. Anderson, K. P. Burnham, S. Strindberg, S. L. Hedley, M. L. Burt, F. Marques, J. H. Pollard, and R. M. Fewster. 1998. DISTANCE 3.5: Research Unit for Wildlife Population Assessment. St. Andrews, Fife, Scotland: University of Saint Andrews.
- Thomsen, J. B. and A. Brautigam. 1991. Sustainable use of neotropical parrots. In *Neotropical Wildlife Use and Conservation*, pp. 359–379. J. G. Robinson and K. H. Redford, eds., Chicago: University of Chicago Press.
- Thomsen, J. B. and T. A. Mulliken. 1992. Trade in Neotropical psittacines and its conservation implications. In S. R. Beissinger and N. F. R. Snyder, eds., *New World Parrots in Crisis: Solutions from Conservation Biology*, pp. 221–239. Washington, D.C.: Smithsonian Institution Press.
- Thorbjarnarson, J., comp. 1992. *Crocodiles: An Action Plan for their Conservation*. H. Messel, F. W. King, and J. P. Ross, eds. Gland, Switzerland: IUCN/SSC Crocodile Specialist Group.
- Thorbjarnarson, J. and G. Hernández. 1992. Recent investigation on the status and distribution of the Orinoco crocodile, *Crocodylus intermedius*, in Venezuela. *Biological Conservation* 62:179–188.
- Thorbjarnarson, J. B., N. Perez, and T. Escalona. 1993. Nesting of *Podocnemis unifilis*. *Journal of Herpetology* 27:344–347.
- Thorbjarnarson, J. B., N. Perez, and T. Escalona. 1997. Biology and conservation of aquatic turtles in the Cinarucu-Capanaparo National Park, Venezuela. In *Proceedings of the International Conference on Conservation, Restoration, and Management of Tortoises and Turtles*, pp. 109–112. New York: New York Turtle and Tortoise Society.
- Tilman, D. and P. Kareiva. 1997. *Spatial Ecology: The Role of Space in Population Dynamics and Interspecific Interactions*. Princeton, NJ: Princeton University Press.
- Torres, J. 1998. *Estudio comparativo de las principales características de la fibra de la alpaca y del cruce inter-específico (Alpaca y Llama) en el anexo de Sumbay, Arequipa, Perú*. Undergraduate thesis. Arequipa, Perú: Universidad Nacional de San Agustín.
- Townsend, W. R. 1995a. *Living on the Edge: Sirionó Hunting and Fishing in Lowland Bolivia*. Ph.D. dissertation. Gainesville: University of Florida.
- Townsend, W. R. 1995b. Cultural teachings as an ecological database: Murui (Witoto) knowledge about primates. *Latinamericanist*, 31(1) 1–7.
- Townsend, W. R. 1996a. *Participatory Wildlife Management Workshop in Lomerio*. Tech Doc. 45/1966. Santa Cruz, Bolivia: BOLFOR.
- Townsend, W. R. 1996b. *Nyao Itō: Caza y pesca de los Sirionó*. La Paz: Instituto de Ecología. Universidad Mayor de San Andrés.
- Townsend, W. R. 1996c. La utilidad del monitoreo del uso de la cacería para la defensa del territorio. In C. Campos, A. Ulloa, and H. Rubio, eds., *Manejo de Fauna con Comunidades Rurales*, pp. 177–189. Bogotá: Organización Regional Indígena Embera Wounaan (Orewa), Fundación Natura.
- Townsend, W. R. 1997. La participación comunal en el manejo de la vida silvestre en el oriente de Bolivia. In T.G. Fang, R.E. Bodmer, R. Aquino, and M. H. Valqui, eds., *Manejo de fauna silvestre en la Amazonía*, pp. 105–109. La Paz: Instituto de Ecología.
- Townsend, W. R. 2000a. *El Monitoreo de la cacería (registro): una herramienta para el manejo de la fauna silvestre*. Santa Cruz, Bolivia: CIDOB-DFID.
- Townsend, W. R. 2000b. The sustainability of subsistence hunting by the Sirionó Indians of Bolivia. In J. Robinson and E. Bennett, eds., *Hunting for Sustainability in Tropical Forests*, pp. 267–281. New York: Columbia University Press.
- Townsend, W. R. 2002. Investigación participativa en el manejo comunitario de la fauna silvestre: Experiencia de la Reserva de la Biosfera-Tierra Comunitaria de Origen Pilón Lajas. In L. O. Rodríguez, ed., *El manu y otras experiencias de investigación y manejo de Bosques Neotropicales*, pp. 206–212. Cusco, Peru: Pro Manu.
- Townsend, W. R., R. Nuñez, and V. Macuritofe. 1984. Contribuciones a la etnozoología de la Amazonía colombiana: El conocimiento zoológico entre los Huitotos. *Colombia Amazónica* 1:37–74.



[444] Bibliography

- Townsend, W. R., K. Rivero, C. Peña, and K. Linzer. 2001. *Memorias del primer encuentro nacional de manejo de fauna en Territorios Indígenas de Bolivia*. Publicaciones Proyecto de Investigación CIDOB-DFID No. 25. Santa Cruz, Bolivia: CIDOB.
- Tremblay, J. and L. N. Ellison. 1979. Effects of human disturbance on breeding of Black-crowned Night Herons. *Auk* 96:364–369.
- Tronc, E. and S. Vuillemin. 1973. Contribution à l'étude ostéologique de *Erymnochelys madagascariensis* Grandidier, 1867. *Bull. Acad. Malg.* 51:189–224.
- Turner, J. L. 1985. Changes in multispecies fisheries when many species are caught at the same time. *FAO Fisheries Report*. 338:201–211.
- Tyburn, J. J. 1994. *De la chasse et de la consommation de gibier sur la bande côtière guyanaise*. DESS report. Montpellier, France: CIRAD/EMVT.
- Ulloa, A., H. Rubio-Torgler, and C. Campos-Rozo. 1996. *Trua wuandra: Estrategias para el manejo de fauna de caza con comunidades indígenas Embera en el Parque Nacional Natural Utría, Chocó, Colombia*. Bogotá: Fundación Natura, Ministerio del Medio Ambiente, OEI, OREWA.
- Vaillant, L. and G. Grandidier. 1910. Histoire naturelle des reptiles, 1^{er} partie: Crocodiles et tortues. In A. and G. Grandidier, eds., *Histoire physique, naturelle et politique de Madagascar*, Vol. 17, pp. 26–86. Paris, Hachette.
- Val, A. L. and V. M. F. Almeida-Val. 1995. *Fishes of the Amazon and Their Environment. Physiological and Biochemical Aspects*. Berlin: Springer-Verlag.
- Valladares-Padua, C. 1987. *Black Lion Tamarin Leontopithecus chrysopygus: Status and Conservation*. M.S. thesis. Gainesville: University of Florida.
- Valladares-Padua, C. 1993. *The Ecology, Behavior, and Conservation of the Black Lion Tamarins, Leontopithecus chrysopygus*, MIKAN, 1823. Ph.D. dissertation. Gainesville: University of Florida.
- Valladares-Padua, C. and R. E. Bodmer, eds., 1997. *Manejo e conservação de vida silvestre no Brasil*, pp. 52–69. Brasilia: CNPq and Sociedade Civil Mamirauá.
- van Horne, B. 1981. Demography of *Peromyscus maniculatus* populations in serial stages of coastal coniferous forest in southeast Alaska. *Canadian Journal of Zoology* 59:1045–1061.
- van Roosmalen, M. G. M. 1980. *Habitat Preferences, Diet, Feeding Strategy, and Social Organization of the Black Spider Monkey (Ateles p. paniscus Linnaeus 1758) in Surinam*. Arnhem, Netherlands: Rijksinstituut voor Natuurbeheer.
- van Roosmalen, M. G. M. and L. L. Klein. 1988. The spider monkeys, genus *Ateles*. In R. A. Mittermeier, A. B. Rylands, A. Coimbra-Filho, and G. A. B. Fonseca, eds., *Ecology and Behavior of Neotropical Primates*, Vol. 2, pp. 455–537. Washington, D.C.: World Wildlife Fund.
- Van Soest, P. J. 1982. *Nutritional Ecology of the Ruminant*. Corvallis, Ore.: O and B Books.
- Vanzolini, P. E. 1977. A brief biometrical note on the reproductive biology of some South American *Podocnemis* (Testudines, Pelomedusidae). *Papeis Avulsos de Zoológia* 31:79–102.
- Vásquez, M. A. and M. A. Ramos. 1992. *Reserva de la biosfera montes Azules, selva Lacandona: Investigación para su conservación*. Ecosfera No.1. San Cristóbal de Las Casas, Chiapas, México: Publ. Ocas.
- Ventocilla, J. 1992. *Cacería y subsistencia en Cangandi (una comunidad de los indígenas Kunas)*. *Hombría y Ambiente*. Vol. 23. Quito: Ediciones ABYA-YALA.
- Vickers, W. 1991. Hunting yields and game composition over ten years in an Amazonian village. In J. G. Robinson and K. H. Redford, eds., *Neotropical Wildlife Use and Conservation*, pp. 53–81. Chicago: University of Chicago Press.
- Vickers, W. T. 1994. From opportunism to nascent conservation: The case of the Siona-Secoya. *Human Nature* 5:307–337.
- Vieira, A. 1925–1928. Carta ao Rei Afonso VI. Maranhão 28 November 1659. In J. L. Azevedo, ed., *Cartas do Padre Antonio Vieira*, Vol. 1, pp. 549–571. Coimbra, Portugal: Imprensa da Universidade de Coimbra.
- Villarroel, R. 2000. Parásitos de contenidos estomacales de *Tupinambis rufescens*. In E. Cabrera, C. Mercolli, and R. Resquin, eds., *Manejo de fauna silvestre en Amazonía y Latinoamérica*, pp. 355–360. Asunción, Paraguay: CITES Paraguay, Fundación Moises Bertoni, University of Florida.
- Vogt, R. C. and P. Soini. In Press. *Podocnemis unifilis* Troschel, 1848: Tracajá, Terecay, Yellow-spotted Amazon River Turtle. In A. Rhodin and P. Pritchard, eds., *Conservation Biology of Freshwater Turtles*, Vol. II. Gland, Switzerland: IUCN/SSC.
- Wallace, A. R. 1853. *A Narrative of Travels on the Amazon and Rio Negro, with an Account of the Native*



Bibliography [445]

- Tribes, and Observations on the Climate, Geology, and Natural History of the Amazon Valley.* London: Reeve.
- Walters, C. J. 1986. *Adaptive Management of Renewable Resources*. New York: Macmillan.
- Watkinson, A. R. and W. J. Sutherland. 1995. Sources, sinks, and pseudosinks. *J. Animal Ecology* 64:126–130.
- WCI. 1992. *The Wild Bird Trade: When a Bird in the Hand Means None in the Bush*. Wildlife Conservation International Policy Report No. 2. New York: New York Zoological Society.
- Weber, W. and A. Rabinowitz. 1996. A global perspective on large carnivore conservation. *Conservation Biology* 10:1046–1054.
- Welcomme, R. L. 1979. *Fisheries Ecology of Floodplain Rivers*. New York: Longman.
- Welcomme, R. L. 1985. River fisheries. *FAO Fisheries Technical Paper* 262:327.
- Western, D., R. M. Wright, and S. Strum. 1994. *Natural Connections: Perspectives in Community-Based Conservation*. Washington, D.C.: Island Press.
- Wheeler, J., M. Fernandez, R. Rosadio, D. Hoces, M. Kadwell, and M.W. Bruford. 2000. *Diversidad genética y manejo de poblaciones de vicuñas en el Perú*: Final Grant Report. British Council, U.K.: Darwin Initiative on Species Survival.
- Wheeler, J. and D. Hoces. 1997. Community participation, sustainable use, and vicuña conservation in Peru. *Journal of Mountain Research and Development*. 17:283–287.
- Wiens, J. A. 1989. Spatial scaling in ecology. *Functional Ecology* 3:385–397.
- Wilbur, H. M., P. J. Morin, and R. N. Harris. 1983. Salamander predation and the structure of experimental communities: Anuran responses. *Ecology* 64:1423–1429.
- Wilson, E. O. 1988. *Biodiversity*. Washington, D.C.: National Academy Press.
- Wilson, E. O. 1988. The current state of biological diversity. In E. O. Wilson, ed., *Biodiversity*. Washington, D.C., National Academy Press.
- Wray, S. 1994. Competition between muntjac and other herbivores in a commercial coniferous forest. *Deer* 9:237–242.
- Wright, T. F., C. A. Toft, E. E. Enkerlin-Hoefflich, J. González-Elizondo, M. Albornoz, A. Rodríguez-Ferraro, F. Rojas-Suárez, V. Sanz, A. Trujillo, S. R. Beissinger, V. Berovides, X. Gálvez, A. T. Brice, K. Joyner, J. Eberhard, J. Gilardi, S. E. Koenig, S. Stoleson, P. Martuscelli, J. M. Meyers, K. Renton, A. M. Rodríguez, A. C. Sosa-Asanza, F. Vilella, and J. F. Wiley. 2001. Nest poaching in Neotropical parrots. *Conservation Biology* 15:710–720.
- Wright, V. L. 1978. Causes and effects of biases on waterfowl harvest estimates. *Journal of Wildlife Management* 42:251–262.
- Yost, J. A. and P. Kelley. 1983. Shotguns, blowguns, and spears: The analysis of technological efficiency. In R. B. Hames and W. T. Vickers, eds., *Adaptive Responses of Native Amazonians*, pp. 198–224. New York: Academic Press.
- Young, T. P. 1994. Natural die-offs of large mammals: Implications for conservation. *Cons. Biol.* 8:410–418.
- Zent, S. 1997. Piaroa and the Cracidae: Game management under shifting cultivation. In S. D. Strahl, S. Beaujon, D. M. Brooks, A. J. Begazo, G. Sedaghatkish, and F. Olmos, eds., *The Cracidae: Their Biology and Conservation*, pp. 177–194. Washington, D.C.: Hancock House.
- Zúñiga, M. 1997. Módulo de uso sustentable de la vicuña. Talk presented at the 5th Extraordinary reunion on the international convention on the vicuña. La Paz.

